


WBK  
L673f  
1872

DR. LEWIS'  
FAMILY GUIDE,  
—AND—  
MEDICAL MANUAL.



NLM 00103573 9

UNITED STATES OF AMERICA



FOUNDED 1836

---

WASHINGTON, D.C.





9988 C<sup>2</sup>

DR. LEWIS'

FAMILY GUIDE


AND

MEDICAL MANUAL.

---

E. W. LEWIS, M. D.

---



ROCHESTER, N. Y.

*M. H. Smith, Book and Job Printer.*

1872.

Anney

WBK

L673f


1872

Film No. 4656, 701

Entered according to Act of Congress, in the year 1872,

By E. W. LEWIS, M. D.,

In the office of the Librarian of Congress, at Washington.



## INTRODUCTION.

---

THIS little work has been prepared as the direct result of over twenty-five years' constant practice in the treatment of disease, by the Homeopathic method, or school of prescribing, and which is now so universally known and adopted as to require no special argument to prove its efficacy; and we place it in the hands of all who desire it, with the most sincere and entire confidence as to its excellence.

We have endeavored to make it a plain and easy guide to the administration of the medicines which we carefully prepare and put up in cases for family use, and also, as a handy and useful guide for the proper remedies to be taken for the diseases herein named and specified, which medicines may be obtained of any Homeopathic Physician or Pharmacy.

Among the advantages of having such a plain medical guide and formula, with a case of the medicines on hand, are the following, viz: They may be the means of saving a vast amount of pain and suffering, by a timely application of the proper remedy, thereby preventing the permanent seating of more violent and obstinate disease, and that before the urgency of the case would require the services of an attendant physician; and more advantage still, where such attendance could not be readily or speedily obtained, besides a saving of the necessary and unavoidable expense resulting from a long protracted course of sickness.

The medicines selected are those well known, from long experience in medical practice, to be prompt in their action, safe, reliable and effectual, and which can be taken at all times without fear of injury or harm to the most sensitive or delicate constitution.

Our method of practice is that of the modern school of rational and liberal physicians, as described in the published volume of the transactions of the State Homeopathic Medical Society of 1870. Vol. 8, page 746.

TREATMENT OF CHRONIC DISEASE MADE A SPECIALTY.

E. W. LEWIS, M. D., Watkins, N. Y.

## NAMES OF MEDICINES IN CASE.

---

To save repetition in printing the names of medicines, the number of each remedy only is put down under the diseases specified. The full names of each medicine however, is given below opposite each number.

<b>No. 1—ACONITE,</b>	<b>No. 9—IPECAC,</b>
" 2—ARSENICUM,	" 10—MERCURIUS VIV,
" 3—BELLADONNA,	" 11—NUX VOMICA,
" 4—BRYONIA,	" 12—PULSATILLA,
" 5—CHAMOMILE,	" 13—RHUS TOX,
" 6—HEPAR SULPHUR,	" 14—SEPIA,
" 7—HYOSCYAMUS,	" 15—STRAMONIUM,
" 8—HELLEBORE, or	" 16—SULPHUR.
<b>VERATRUM,</b>	

Each vial of the above named remedies will make at least two quarts of medicinal solution as strong as many physicians ever give them, being powerfully concentrated remedies for family use. We mention this for those who object to the smallness of the doses prescribed.

The general affections and diseases for which each of the medicines have been proved and tried as curative and effectual specifics, are enumerated and described under each of the various medicines above named in their proper place a few pages further on; also the specific action, and their peculiar adaptation to the several *organs* of the human system. For instance, we discover by this examination that MERC. VIV is an indispensable remedy for affections of the liver, while NUX VOMICA acts more beneficially upon the stomach and bowels, and HEPAR SULPHUR upon the blood and all cutaneous affections; RHUS TOX upon the spine, and STRAMONIUM upon the lungs, nerves and heart; BELLADONNA upon the head, &c., &c., &c. In mentioning these, however, we only give the principal organ they most readily effect, and say nothing of their other curative effects, and only as an illustration, which will also be found true of all, as they are delineated and described.

## RULES OF DIET.

---

The nervous and debilitated patient often asks what they can or should eat and drink. As a general thing, no physician can truly dictate what the patient may eat or may not, as well as the rational and thinking invalid should know from personal experience, what agrees best with the sensitive stomach and digests the easiest, creating the least amount of suffering. In this age of light and knowledge of the subject of Hygiene, people have learned, and generally adopt the rule in sickness to use plain, light and simple food, avoiding rich cake, pies and pastry, and all highly seasoned food as hurtful and injurious; and as drinks, all active stimulents, knowing them to be in the main, poisonous and deleterious. Some stomachs find graham bread and oat meal puddings agreeing with them best, while others can eat bread made of the finest bolted flour, with more impunity. All invalids should avoid over-loading the weak stomach. This causes more suffering often, than the kind or quality of the food they take. These rules are for children as well as for adults.

To keep the body clean and pure, and the mind as cheertul and happy as possible, with the conditions surrounding, are requisites entitled to nearly as much consideration as proper diet. For the nervous and dyspeptic, gentle exercise in the open air, when mild and pleasant, either riding or walking; and pleasant traveling excursions often result in more benefit to the weak and despondent, than medicine, or graham bread. All combined, however, is best and most proper.

### ADVICE AND RULES FOR TAKING THE MEDICINE PRESCRIBED.

FIRST.—We believe the sick are entitled, and have the right to know what medicine is prescribed for them, and the reasons why; and this Manual is specially intended for that purpose. Every person can hereby examine and compare the symptoms delineated under each remedy prescribed, and know whether it is right for their particular case. If there is any truth in medical science, or the best medical works, with which this will be found to be in accordance in most cases, such knowledge puts the mind at rest, and therefore has its salutary effect upon the patient.

SECONDLY.—In order to be effectually benefitted by the remedies, they should be regularly and perseveringly taken according to the directions specified.

## DIRECTIONS FOR PREPARING AND TAKING THE MEDICINES.

---

### PILLS.

From one to two pills is a dose for an adult.

One pill for children from three years and upwards.

Half a pill for infants.

Repetition of doses according to disease, and urgency of symptoms. Always take three doses in succession of one kind before changing to the next, in the order they stand under the disease specified.

N. B.—Pills to replenish cases can be sent by mail by specifying the numbers wanted.

### TINCTURES.

A small tea-spoonful of the tinctures in a gill of cold water well mixed.

Each kind to be mixed in separate cups or tumblers.

Two tea-spoonfuls of the solution thus prepared in water is a dose for an adult.

One tea-spoonful, or half as much for children over three years, and some less for infants.

Always take three doses in succession out of one kind before changing to the next, in the order they stand under each disease named.

Doses to be repeated according to urgency and violence of symptoms, as above stated. *Tinctures cannot be sent in the mails.*

Three remedies constitute a full prescription for each disease named, but only one need be given if found curative. When two or more are put down for the same disease, select the one which covers the greatest number of existing symptoms, or change from one to the other if necessary, after four or five days, or a week in chronic cases, or a shorter time in acute disease.

Any remedy may safely and successfully be given, where the symptoms plainly indicate it, whether mentioned under the disease specified or not, and we fully believe there is not a case of chronic disease, however desperate and hopeless it may be considered, but may be benefitted or cured by the timely and judicious administration of some one or more of the sixteen remedies, (the curative properties of which are herein described) where there is sufficient vitality left in the system to render it possible for medicine to act upon it.

## DISEASES, AND THE REMEDIES FOR EACH.

---

### ABORTION.

To prevent, Nos. 5, 7, 3. A dose once an hour or two.

For flowing after, Nos. 8, 14, 11, a dose once in half an hour three times, then once an hour.

### ABSCESS.

Nos. 10, 6, 13, or Nos. 10, 14, 16. A dose once an hour, or once in two hours.

### AGUE AND FEVER.

Take once an hour, Nos. 10, 8, 15, with from one to two grains of Quinine an hour before the chill each day, until the chill is broken, then take Nos. 10, 8, 2. Doses once an hour daytimes for three days.

### APTHA, OR SORE MOUTH.

Nos. 10, 6, 8. A dose once in two hours, or three doses of each a day.

### ASTHMA.

Nos. 15, 8, 10, or 2, 15, 10. Both good. A dose every half hour, if bad, three doses of each, after that, once an hour the rest of the day. Try the different kinds and continue those giving most relief.

### AMAUROSIS.

Nos. 3, 7, 10. A dose once in two hours for three days, then change to Nos. 14, 16, 3, and so continue to change every three days, for some weeks, if necessary.

### APHONIA.

Nos. 1, 15, 10, or Nos. 3, 6, 8. A dose once an hour daytimes, changing the two prescriptions occasionally.

### BLOODY FLUX, OR DYSENTERY.

Nos. 10, 13, 1. A dose every half hour for first nine doses (three of each) rest of day once an hour. As soon as fever is lowered put No. 15 in place of No. 1, and so continue until better. When the bloody discharges and griping cease give Nos. 10, 8, 11, once an hour or two. Drink no cold water or liquor.

### BOILS.

Nos. 3, 10, 6. Dose once in two hours, daytimes.

## BRONCHITIS.

Acute, Nos. 10, 8, 1. A dose once in half an hour, (three of each) rest of day once an hour. Change occasionally to Nos. 10, 13, 15. Chronic, Nos. 10, 8, 11. Dose once an hour daytimes.

## CANKER SORE MOUTH.

Nos. 10, 6, 8. A dose once an hour or two, daytimes.

## CARBUNCLE.

Nos. 10, 6, 2, or 3, 13, 6. Once an hour daytimes.

## CATARRH.

Nos. 10, 6, 11, or 10, 13, 16. Three doses of each a day, occasionally changing the two prescription. Every three numbers always constitute a prescription and are taken together. Sometimes needs long treatment.

## CHICKEN POX.

Nos. 3, 6, 12. Three doses of each a day if blood should be bad, if not this disease requires no medicine when mild, the patient otherwise healthy.

## CHILBLAINS.

Nos. 10, 13, 12, or 3, 4, 16. Once in two hours, and bathe with Arnica.

## CHOLERA.

For sudden attack, before a physician can be called, take five drops of Camphor in water, once in five or ten minutes, for several doses, say four or five, then give Nos. 8, 10, 2, once every 20 or 30 minutes. Rub the limbs if cramps prevail. A late remedy in this disease, which is said to be specific, is to inject from a quarter to half a grain of Morphine under the skin to be taken up by the circulation of the blood.

## CHOLERA MORBUS.

Take Nos. 8, 10, 2. Every half hour for nine doses, (three of each) then once an hour.

## CHOLERA INFANTUM.

Nos. 10, 8, 9. Half hour, then hour, as above in C. Morbus.

## COMMON COLD.

Nos. 3, 10, 13. Once an hour for cold in the head, (through the day.) Nos. 10, 15, 1, or 15, 13, 8, if on lungs. Once an hour.

## COLIC.

Billions. Nos. 11, 10, 8. A dose once in 20 or 30 minutes at first, for six or nine doses, after that once an hour.

Flatulent. Nos. 10, 8, 11. Doses same times as above named.

Menstrual. " 3, 12, 11. " " " "

Of Infants. " 5, 11, 8. " " " "

CHLOROSIS.

Nos. 12, 14, 16. Or if attended with weak lungs and cough, take Nos. 10, 12, 8, once an hour through the day.

CONVULSIONS.

Children, from worms or teeth, Nos. 15, 10, 9. A few doses often, then once an hour. Adults, Nos. 3, 15, 7. Once an hour, and a few doses at first, every half hour.

CORNS.

Nos. 14, 4, 13. Once in two hours, pare and put on Arnica tincture.

COSTIVENESS.

Nos. 10, 8, 11. Once an hour daytimes until regular, then a dose or two of No. 11 every night or two at bed time.

COUGH.

If tight, take Nos. 1, 15, 8. A few doses half an hour apart, rest of day once an hour.

If nervous, Nos. 3, 7, 16, " " " "

If loose and hoarse, Nos. 10, 16, 12. " " "

CROUP.

Nos. 15, 6, 1. Doses should be repeated quite often in this disease, say once in 20 or 30 minutes until some relief is obtained, then once an hour. Asthma of Millar is frequently taken for this disease, the symptoms being very similar and the same remedies may be used. Nos. 10, 15, 9, are also good specifics in these diseases.

COURSES, (MONTHLY.)

Suppressed. Nos. 10, 8, 12. A dose once an hour through the day.

Too much and too long. Nos. 3, 14, 7. A dose once an hour through the day.

Too feeble and scanty. Nos. 10, 8, 11. A dose once an hour through the day.

CRAMP.

Stomach or limbs, Nos. 8, 15, 9. Doses every half hour until better.

CEREBRO-SPINAL MENINGITIS.

Nos. 3, 1, 15, or 13, 15, 3. Doses every half hour until better, then once an hour.

DEBILITY.

Nos. 8, 10, 11. Doses once an hour or two through the day.

## DIARRHEA.

From children teething. 10, 5, 8. Once an hour till better.

“ “ “ 8, 15, 16. “ “ “

“ error of diet. 10, 8, 11. Once in half an hour, 6 doses, then hour.

Chronic diarrhea. 10, 8, 2. Once an hour at first, then 2 hours.

“ “ 2, 10, 16. “ “ “ “

## DYSENTERY.

Nos. 10, 13, 1. Doses every half hour until feverish symptoms abate, then

Nos. 10, 13, 15. Once every half hour, three doses of each, rest of day once an hour.

Starch injections are good. No cold water should be drank, and light mucilaginous diet should be used.

## DIPHTHERIA.

Nos. 10, 6, 3, also 10, 13, 15. Doses often, every half hour and hour. Gargle with solution of Chlorate of Potash.

## DYSPEPSIA.

Nos. 10, 13, 11, also 10, 8, 11. Doses once an hour or two day-times; and it is well to change the two prescriptions every four or five days. Use such food as you know agrees best with the stomach, and avoid liquors and active stimulants of all kinds. Take exercise in the open air a good deal when pleasant.

## DELIRIUM TREMENS.

Nos. 7, 15, 11. Once an hour through the day, and procure some Hydrate of Chloral at the druggists, and give from 20 to 30 grains in a gill of sweetened water or syrup at bed time to promote sleep.

## DIZZINESS, OR VERTIGO.

Nos. 10, 8, 11. Once an hour or two through the day.

Also Nos. 10, 3, 16, “ “ “ “

## DROPSY.

Nos. 2, 4, 16, also 10, 2, 13. Both are good remedies. Doses once an hour. It is well to alternate the two above named prescriptions every week.

## DROPSY OF THE BRAIN.

Nos. 10, 3, 1, also 8, 3, 7. Once an hour through the day.

## EAR ACHE.

Saturate cotton with Tincture of Aconite and put in the ears, and take Nos. 10, 13, 1. Doses once in half an hour for 9 doses, then once an hour.

EARS, DISCHARGE FROM.

Nos. 10, 6, 13, also 12, 14, 16. Once an hour or two daytimes.

EPILEPTIC FITS.

Nos. 15, 3, 11, or 7, 10, 16. Once an hour or two through the day, and with these changed occasionally, take from 5 to 8 grains of Bromide of Potash, twice a day, morning and evening.

ERUPTIONS OF THE SKIN.

Nos. 10, 6, 13. Also, for face, 10, 3, 14. Once an hour or two.

ERYSIPELAS.

Nos. 10, 6, 13, also 3, 16, 13. Doses once an hour. Both of these prescriptions are good, and may be alternated.

EYES, INFLAMMATION OF.

Lids. Nos. 10, 6, 13. Once an hour or two.

Balls. " 10, 3, 11. " " Bathe and wash with warm water, and salt and water.

FACE.

Swollen. Nos. 10, 13, 3. Once an hour or two.

Eruptions. " 14, 6, 10. " " "

FAINTING.

Nos. 8, 5, 15. Once in 20 or 30 minutes at first, then hour.

FEVERS.

Inflammatory. Nos. 1, 8, 10. Doses once an hour, sometimes oftener at first.

Billious. Nos. 10, 8, 11. " " "

Scarlet. Nos. 3, 10, 1. " " "

Typhoid and Nervous. Nos. 10, 13, 1. Dose once an hour, sometimes oftener at first.

Typhoid and Nervous. " 13, 4, 10. " " "

sometimes oftener at first.

Intermittent. See Ague and Fever.

FLATULENCY.

Nos. 10, 8, 11. Doses once an hour.

FLUOR ALBUS.

Nos. 10, 8, 12, also 14, 2, 16. Doses once an hour or two.

FLOWING.

Nos. 7, 9, 12, or 5, 3, 16. Doses half hour at first, then hour.

## GOITRE.

Nos. 10, 8, 11. Dose once in two hours, daytimes only, for some months, change occasionally to 10, 13, 6.

## GOUT.

Nos. 2, 16, 4, or 3, 12, 6. Once an hour. Change the two prescriptions once in three or four days.

## GRAVEL.

Nos. 10, 13, 11. Once in half an hour at first if bad, then hour. Five drops of tincture of common Hemp (*Cannabis*) is also good to use in alternation with either of the above named remedies.

## HEART DISEASE.

Nos. 12, 8, 11, also 15, 8, 11. Doses once an hour or two for chronic affections.

## HEARTBURN.

Nos. 16, 12, 11, also for palpitation, 15, 8, 11. Doses once an hour. For rheumatism of the heart, Nos. 15, 13, 4. Once in half an hour for nine doses, (three of each) after that once an hour.

## HEAD ACHE.

Nervous. Nos. 3, 10, 11. Doses half an hour apart if bad, or once an hour. From stomach and liver. Nos. 10, 13, 11. Doses half an hour apart if bad, or once an hour.

## HEMORRHAGE.

Lungs. Nos. 1, 3, 9. Doses once in 20 or 30 minutes if bad, when abated once an hour.

Stomach. Nos. 10, 9, 11. " " " " "

Bowels. Nos. 10, 13, 16. " " " " "

Nose. Nos. 1, 3, 11. " " " " "

Bladder or Urinary. Nos. 10, 13, 11. Doses once in 20 minutes if bad, when abated once an hour. Use also tincture of Hamamelis, (or Witch Hazel) freely.

## HEMORRHOIDS, (PILES.)

Nos. 10, 8, 11. Once an hour or two.

Also Nos. 16, 15, 11. " " Use Arnica Salve externally.

## HERNIA.

Reducible. Nos. 8, 11, 16. Once an hour.

Incarcerated. " 1, 11, 16. " "

## HICCOUGH.

Nos. 15, 7, 11. Half hour doses at first, once an hour when better.

HIP DISEASE.

Nos. 10, 13, 11, or 13, 4, 1. Both good. Once an hour.

HOARSENESS.

Nos. 10, 6, 1, also 10, 4, 6. Once an hour.

HYSTERIA.

Nos. 3, 15, 7, also 15, 3, 11. Half an hour until better, then hour.

HYDROCELE.

Nos. 12, 11, 16. Once an hour or two.

INFLUENZA.

Nos. 10, 8, 1, also 15, 10 4. Once an hour.

ITCH.

Nos. 10, 13, 6, also 10, 6, 8. Once an hour or two.

INFLAMMATION

Of Brain.	Nos. 1, 3, 15.	Of Lungs.	Nos. 10, 13, 15, also 1, 8, 6
" Bowels.	" 10, 4, 1.	" Stomach.	" 15, 2, 11, also 10, 8, 11.
" Bladder.	" 1, 12, 11.	" Womb.	" 10, 13, 12.
" Liver.	" 10, 3, 11.	" Testicles.	" 12, 2, 11.

When any of the above are severe and painful give several doses half an hour apart, and at longer intervals, say from one to two hours when symptoms are better.

JAUNDICE.

Nos. 10, 8, 11. Once an hour or two, owing to intensity, &c.

KIDNEYS, INFLAMMATION.

Nos. 10, 13, 11, also 10, 15, 11. Once an hour.

LEUCORRHEA, OR WHITES.

Nos. 10, 8, 2, also 10, 8, 12. Once an hour.

LIVER AFFECTIONS.

Torpid. Nos. 8, 10, 11, also 10, 13, 11. Once an hour.

Inflamed. " 10, 3, 11, " 10, 1, 11. " "

LOCKJAW (TETANUS.)

Nos. 7, 15, 13, also 7, 13, 11. Once every half hour, then once an hour till better.

LUMBAGO.

Nos. 10, 13, 11, also 13, 4, 11. Once an hour.

## MEASLES.

Nos. 10, 6, 12. Once an hour, cough after, Nos. 10, 6, 8. Once an hour.

For suppression of measles, Nos. 4, 15, 6. Half hour and hour.

## MENSES.

Suppressed. Nos. 10, 8, 12. Scanty. Nos. 10, 8, 16. Once an hour.

Painful. Nos. 12, 16, 7. Colic form Nos. 8, 12, 14. Half hour and hour.

Profuse and too long. Nos. 7, 8, 11. Once an hour.

Doses in the above should be given every half hour for severe pain, say two or three times, after that, once an hour.

## MENOPOSIA, OR TURN OF LIFE.

Nos. 12, 14, 16. Once an hour or two. Are good remedies. Requires time.

## MISCARRIAGE.

To prevent, take Nos. 3, 9, 10, also Nos. 9, 14, 11. Half hour at first, then hour. If from injury abortion is threatened, a few drops of Arnica should also be taken. For flowing after miscarriage, take Nos. 3, 5, 7, also 4, 7, 9. Half hour and hour.

## MUMPS.

Nos. 10, 6, 13. Once an hour.

## NAUSEA.

Nos. 9, 8, 11. Once in half an hour, then hour as it abates.

## NERVOUSNESS.

Nos. 7, 15, 11, also 13, 10, 15. Once an hour.

## NETTLE RASH.

Nos. 13, 6, 11. Once an hour.

## NEURALGIA.

Nos. 10, 13, 3, also 1, 5, 13. Half hour for nine doses, then once an hour.

## NIGHTMARE.

Nos. 16, 12, 11. Once an hour, and avoid late hearty suppers.

## NOSE BLEED.

Nos. 1, 3, 11, also 16, 8, 11. Half hour if bad, once an hour when better.

## OPHTHALMIA.

Nos. 3, 10, 6 also 10, 3, 11. Once an hour.

OTOUHOSA.

Nos. 10, 13, 6. Half hour at first, once an hour when better.

PALATE, OR UVULA.

Falling of. Nos. 10, 13, 11. Once an hour.

PALSY, OR PARALYSIS.

Nos. 10, 13, 11. Once an hour. Generally requires long patient treatment.

PILES.

Nos. 10, 16, 11, also 10, 13, 11. Once an hour. See also Hemorrhoids.

PLEURISY.

Nos. 10, 13, 1, also 4, 11, 1. Half hour if pain is severe, nine doses, then once an hour.

PROLAPSUS.

Anus. Nos. 10, 13, 11, also 2, 14, 16. Once an hour or two.

Uterus. Nos. 10, 3, 14, also 10, 14, 11. " "

POLYPUS

Of Womb. Nos. 10, 6, 3, also 10, 3, 14. Once an hour or two, several weeks.

Of Nose. Nos. 10, 6, 14, also 10, 6, 2. Once an hour or two, several weeks.

RHEUMATISM.

Nos. 10, 13, 11, also 4, 13, 1. Once an hour.

RICKETS.

Nos. 3, 12, 13. Once an hour or two, several weeks.

RINGWORM.

Nos. 10, 14, 16. Once in two hours.

SCALD HEAD.

Nos. 10, 13, 6. Once an hour or two.

SCARLATINA.

Nos. 3, 10, 1, also 10, 13, 3. Once an hour.

SCROFULA.

Nos. 10, 13, 6, also 10, 6, 11. Once an hour.

SCURVY.

Nos. 10, 16, 11, also 10, 13, 6. Once an hour.

## SEA SICKNESS.

Nos. 8, 9, 11. Once in an hour, or a few doses at first every half hour.

## SICK HEADACHE.

Acute. Nos. 8, 3, 11. Doses once in half an hour for nine doses, then hour.

Chronic. Nos. 10, 13, 11. Doses once an hour.

## SHINGLES.

Nos. 2, 10, 16. Once an hour.

## SLEEPLESSNESS.

Nos. 3, 10, 7. Once an hour.

## STYE.

Nos. 10, 12, 6, also 10, 12, 11. Once an hour.

## ST. VITUS DANCE (CHOREA).

Nos. 15, 3, 11, also 10, 15, 11. Once an hour, at the same time take 5 grains Bromide of Potash once or twice a day.

## SYPHILIS.

Nos. 10, 6, 13, also 10, 6, 11. Once an hour.

## SEMINAL EMISSIONS, (NOCTURNAL AND INVOLUNTARY.)

Nos. 10, 16, 11, also 16, 8, 11. Once an hour.

## SWEATING, EXCESSIVE.

Nos. 10, 8, 6, also 8, 7, 2. Once an hour.

For fetid sweat of feet, take above remedies and wash the feet in a weak solution of Aqua Ammonia.

## SPASMS.

Nos. 3, 7, 15, also 3, 8, 15. Once in 20 or 30 minutes, 9 doses, then once an hour.

## SPRAINS.

Nos. 10, 13, 11. Once an hour, and wash with Arnica solution.

## TEETHING, (CHILDREN.)

If costive, Nos. 10, 8, 15.

"Diarrhea, " 10, 8, 5.

"Nervous, or restless,

Nos. 10, 5, 3.

} A dose once in half an hour at first,  
 { then once an hour.

## TOOTH-ACHE.

Nos. 10, 13, 1. Once in half an hour, nine doses, then once an hour.

## TONSILS.

Swelled. Nos. 10, 13, 15. Once an hour.

Inflamed. " 10, 6, 3, and same if ulcerated. Once an hour.

## TUMORS.

Hard. Nos. 10, 6, 13. Once an hour.

Fetid and running. Nos. 10, 6, 2. Once an hour.

## THROAT.

Sore and Inflamed. Nos. 10, 13, 8. Also, if ulcerated, Nos. 10, 6, 3. Once an hour.

Sore, with outward swelling. Nos. 10, 13, 15. Once an hour.

## URINARY TROUBLES.

Scanty, with frequent urging. Nos. 10, 13, 11. Once an hour.

Retention, with pain. " 10, 8, 15. " "

" " blood. " 10, 13, 11. " "

" Urging at night. " 10, 13, 8. " "

## VERTIGO.

Nos. 10, 8, 11. Once an hour. (See also Dizziness.)

## VOMITING.

Nos. 8, 9, 11. Once in half an hour until better, then hour.

## VOICE, LOSS OF.

Nos. 1, 15, 10, also Nos. 3, 6, 8. Once an hour. (See also Aphonia).

## WOMB.

Weak. Nos. 10, 8, 13. Once an hour.

Falling off. Nos. 10, 3, 14, also 10, 14, 11. Once an hour. (See Prolapsus.)

## WORMS.

Nos. 10, 8, 11, also 10, 8, 1. Once an hour.

## WARTS.

Nos. 13, 14, 16. Once an hour.

## ZONA, (SHINGLES.)

Nos. 2, 10, 16. Once an hour.

## No. I.—ACONITE.

Acts specifically upon the *Stomach, Liver, Heart, Lungs and Nerves*, and has been proved curative in the following general affections, viz:—Acute local inflammation, rheumatic and arthritic swellings; *fevers*; active sanguineous congestions; neuralgia and spasmodic attacks, evil consequences of a chill in dry, cold air; affections from fright or anger, tetanus, trismus, fainting fits, measles, eruptive period of small pox, erysipelatous inflammations, inflammations with billious or nervous symptoms, worm fevers in children, headache from congestion and dizziness; also nervous and catarrhal, acute inflammation of the eyes, earache and toothache, acute sore throat, scarlet fever, difficult teething with vomiting, vomiting from pregnancy, jaundice, inflammation of the liver and bowels, metrorrhagia and too copious menses; strangulated hernia, common catarrh and influenza in the inflammatory period; tight, dry cough, croup, whooping cough, attacks of congestive asthma, asthma of millar, acute laryngitis and bronchitis; pleurisy, inflammation of the lungs, bleeding from the lungs, affections of the heart, dysenteric fever, inflammation of the bladder.

### SYMPTOMS FOR WHICH ACONITE IS CURATIVE.

#### HEAD.

Fullness and oppressive pain and weight in the forehead, congestion of blood to the head, with heat and redness of the face; congestive, catarrhal and nervous headache.

#### EYES, FACE, NOSE AND MOUTH.

Painful inflammation, with discharge of water from the eyes, red, hard swelling of the lids, dread of light.

Face very red and bloated with fever, or only one cheek red, sweat on the forehead, lips black and dry, rheumatic pains in the face and teeth, toothache, dryness of the mouth and tongue, burning and stinging of the tongue, spitting blood, nose bleed.

#### THROAT.

Burning and stinging in the throat, inflamed fauces and velum palati, with fever and dark redness of the parts.

#### ABDOMEN, LIVER AND STOOL.

Dropsy of the abdomen, distended or bloated abdomen, pressure in the region of the liver, inflammation of the liver, also of the bowels and peritonitis, inflammation of strangulated hernia, with bitter vomiting, frequent small, soft stool with tenesmus, watery diarrhea, flowing piles, dysentery.

## APPETITE AND STOMACH.

Taste bitter, or foul and flat, loss of appetite and loathing of food, burning, unquenchable thirst, hiccough, vomiting of blood, pressure at the stomach or pit of the stomach as from a weight or stone, pain at the stomach after eating or drinking, inflammation of the stomach.

## URINARY AND SEXUAL ORGANS.

Retention of urine, with pressure in the bladder, difficult and scanty emission of urine, deep, red, hot urine, inflammation of the bladder, pain in the testicles, orchitis, profuse menses in plethoric females, milk fever, child-bed fever, rash of infants.

## COUGH, CHEST, RESPIRATION, AND HEART.

Cough during fever heat, short, dry cough, excited by titillation in the larynx; spasmodic, rough croaking cough, thick, white, bloody and slimy expectoration, when coughing; whooping cough with fever, influenza with fever, pleurisy, rheumatic pains and sore throat, membranous croup in the inflammatory stage, tracheitis and bronchitis; short breath, fetid breath, anxious, difficult, sobbing respiration, suffocative paroxysms with anxiety, asthma of millar, pains and stitches in the chest and sides of the chest, especially when drawing breath or coughing, acute pleurisy and inflammation of the lungs; chronic affections of the heart, with difficulty of breathing, stitches in the region of the heart, palpitation of the heart with anxiety, carditis.

## BACK AND LIMBS.

Pain in the small of the back as if bruised and lamed by blows, painful stiffness in the back and hip joints, stiffness of the nape of the neck; the arms feel as if lame and bruised, coldness and numbness of the hands, tingling in the fingers; the hip joints and thigh feel as if lamed and bruised by blows; unsteadiness of the knees, inflammatory swelling of the legs and feet, cold feet.

## SKIN.

Red hot, shining swellings, yellow color of the skin, jaundice, measles, purple rash, rubeola, rash of children, erysipelatous inflammation with fever, burns.

## SLEEP.

Sleeplessness, restlessness, constant tossing about and anxiety, anxious dreams, night-mare and nightly ravings.

## FEVERS.

General dry heat, with short breathing, quick pulse, redness of the face and cheeks, disposition to uncover ones-self, and chilliness when uncovered ever so little; evening chilliness soon after

going to bed, peevish and whining mood and oppressive headache, a good deal of thirst during the fever, slight sweat on the body, inflammatory fevers with great irritation of the nervous and vascular system, dysenteric fevers.

#### MENTAL AND NERVOUS SYMPTOMS.

Anguish, with apprehensive and trembling state of mind, and bitter wailing, fear of death, great tendency to start, with intolerance of noise and music, sensitive and irritable mood, whining, joyless and desponding, ravings, at times laughing at others, weeping especially at night; vertigo with reeling, darkness of sight or nausea, sanguinous, apoplexy, inflammation of the brain, and dropsy of the brain.

### No. 2.—ARSENICUM.

Acts specifically upon the *Stomach, Liver, Bowels, Blood, Heart, &c.*, and has been found curative for the following general affections and symptoms, viz:—Affections especially of exhausted and nervous constitutions, with tendency to catarrh, dropsical affections, old malignant ulcerations and suppurations, sufferings of drunkards, scrofulous affections, nervous weakness with fainting fits, carbuncles, warts, chilblains, varices, intermittent fevers, even those from the abuse of quinine, softening of the brain, gloomy, melancholy, even unto suicide, imbecility, megrim, scald head, cancer of the nose, face or lips, inflammatory swelling of the tongue, sore mouth, seasickness, inflammation of the stomach, dyspepsia, with vomiting, vomiting of drunkards and pregnant women; schirrous in the stomach, Asiatic cholera, and cholera morbus, and diarrhea, also diarrhea of children at teething, piles, paralysis of the bladder with retention of urine, inflammation and swelling of the genital organs, erysipelas of the scrotum, leucorrhœa, also acrid and excoriating, ulceration of the womb, dropsy of the heart, asthma, also spasmodic asthma; organic affections of the heart, ulcers of the legs, white swellings, dropsical swellings of the abdomen, legs and feet, gout in the feet.

#### SYMPTOMS FOR WHICH ARSENICUM IS CURATIVE.

##### HEAD.

In the room, the head feels confused and heavy; feels better in the open air; beating pain in the forehead, with inclination to vomit. Scald head.

##### EYES, EARS, NOSE AND FACE.

Inflammation of the eyes with violent burning pain and inflammation of the inner surface of the eyelids, lachrymation and nightly agglutination.

Humming in the ears with hardness of hearing.

Burning in the nose, cancer of the nose, profuse thin acrid discharge from the nose.

Yellow, livid, or bluish face, swelling of the face, cancer of the face and lips, sore mouth, stomacaea and aptha, fetor from the mouth, dry, cracked tongue, brown or black; toothache at night, teeth feel loose and elongated, grating of the teeth.

#### THROAT, APPETITE AND STOMACH.

Sore throat, when swallowing, as from an internal swelling; impeded swallowing as if the parts were paralyzed, burning pain in the fauces, bitter taste after eating, constant desire to drink, —drinking frequently, but little at a time,—desire for sour things or brandy; a good deal of hiccough and empty eructations; nausea, obliging one to lie down, waterbrash, vomiting and diarrhea, weak digestion, pressure at the stomach after eating, gastritis induration and cancer of the stomach.

#### ABDOMEN AND STOOL.

Excessive colic, distended hard abdomen, bloated, burning pains in the abdomen, dropsy of the abdomen, slimy, watery, green, yellowish, putrid and undigested diarrheic stools; burning stools with colic, bloody stools, unperceived discharges of stool, burning pain in the rectum, falling of the rectum, Asiatic cholera and cholera morbus.

#### SEXUAL AND URINARY ORGANS.

Painful swelling of the sexual parts, erysipelas inflammation of the scrotum, premature and profuse menses, corrosive acrid leucorrhœa, suppression of urine and paralysis of the bladder, difficult, painful urination, involuntary urine, bloody burning urine, turbid urine with slimy sediment.

#### CATARRHAL, CHEST AND HEART.

Catarrh, with bleeding at the nose, dryness and stoppage of the nose, inflammation of the windpipe, dry feeling and burning in the larynx, cough, tight, especially after drinking or going into the open air, nightly bloody cough, acute ulceration of the lungs, spasmodic asthma, suffocative paroxysm, asthma of millar, tightness of the chest with excessive weakness and prostration, suffocative spells in the evening on going to bed, burning and heat in the chest, pneumonia, dropsy of the chest, cancer of the breasts, palpitation of the heart, violent beating of the heart.

#### BACK, UPPER AND LOWER LIMBS.

Violent pains, with burning heat in the back, also drawing pain between the shoulder blades.

Pains and swelling of the arm, burning ulcers at the tips of the fingers, nervous pain in the hips, paralytic weakness of the

thighs, with pain in the knee joint, inveterate ulcers on the legs with burning and stinging, hard, shining, burning swelling of the feet, gout in the feet.

#### SKIN.

Dry parchment like, or else blue and cold skin, itch-like pimples, rash, blood blisters, gangrenous, or cancerous ulcers, painful ulcers with stinging and burning, warts, chilblains, swelled veins.

#### SLEEP.

Sleeplessness at night, with constant tossing about, starting when on the point of falling asleep, anguish about the heart, anxious dreams.

#### FEVER.

General coldness, with loss of pulse, and cold, clammy sweat, chilliness and shuddering without thirst, attacks of fever preceded by dizziness and great debility, chilliness, then heat, with great restlessness and thirst, intermittent fever, puerperal, mucous, putrid, typhus, gastric and billious fevers, nightly burning heat all over, sweat at the commencement of sleep, or after the fever paroxysm.

#### MENTAL AND NERVOUS.

Excessive anxiety and restlessness, dread of being alone, excessive fear of death or mania of suicide, melancholy and sadness; vexed at trifles, imbecility, nervous tremulousness.

### No. 3.—BELLADONNA.

Acts specifically on the *Head, Heart, Stomach, Liver, Lungs, Womb and Nerves*. And has been proved curative for the following general affections, viz: Sufferings resulting from a chill, fear, fright, or vexation; bad effects from valerian, calomel, or opium; rheumatic affections, even with inflammatory fever and swellings; congestions, tumefaction and enlargement of the glands; scrofula and rickety affections, cramps, convulsions, lockjaw, hysterics and spasms, epilepsy, St. Vitus dance and other spasmodic affections; paralysis, chilblains, stings of insects, erysipelas, scarlet fever, measles, sleeplessness, lethargy, intermittent fever, slow fevers, typhoid and typhus fevers; mental ailments, melancholy, madness and other mental affections; congestion of blood to the head, with dizziness, sanguinous apoplexy, inflammation of the brain, dropsy of the brain, head ache, inflamed eyes, spots and ulcers on the cornea, dimness of sight from over exerting the eyes; amaurosis, ear ache, and deafness from a cold; boils, inflammation of the nose, nose bleed, pimples on the face, erysipelas of the face, difficult teething and crying and restlessness of children at

that period; salivation from mercury, sore throat, inflamed bright red and swollen, dyspepsia, hiccough, jaundice, piles, dysentery, inflammation of the kidneys, dysineuorrhæ, metorrhagia, menstrual colic, prolapsus, schirrous, induration and cancerous affections of the womb, suffering arising from miscarriage, premonitory symptoms of abortion, spasms, nymphomania, and other affections of lying-in women; puerperal peritonitis, caused by mental emotions or suppression of milk, milk fever, sufferings from weaning, such as erysipelas, swelling and cancer of the breasts; cries, convulsions, and other sufferings of new-born infants, coughs, catarrhal affections, aphonia, grippe, whooping cough, croup, inflammation of the lungs, spasmodic hysterical, congestive asthma, bleeding from the lungs, rheumatic stiffness of the nape of the neck, coxalgia, carbuncles, chickenpox, profuse menses diphtheria in first stage, gout of the feet.

## SYMPTOMS FOR WHICH BELLADONNA IS CURATIVE.

### HEAD.

Daily headache from 4 o'clock p. m. until 3 o'clock in the morning; headache from a cold, stupifying headache, periodical nervous headache, congestion of blood to the head with heat of the same, distention and throbbing, swashing in the head as if full of water, profuse sweat of the head; the headache worse on moving the eyes, boring the head into the pillow, inflammation of the brain, and dropsy of the brain.

### EYES, FACE, MOUTH, NOSE AND EARS.

Aching pain through the eyes, heat in the eyes, inflammation of the eyes with swelling, itching, burning and redness of the lids, specks on the cornea, sparkling eyes, wild look, dilated pupils, mistiness of the sight, amaurosis from paralysis of the optic nerve, strabismus, dread of light, scintillations, weak eyes.

Red face with burning heat, bloated face, violent neuralgic pain in the face, erysipelas swelling of the face, lips dark red, swelling of the lips, eruptions at the corners of the mouth, inflammation and swelling of the submaxillary glands, dry mouth, inflammatory swelling and redness of the inner mouth and soft palate; hot parched tongue, bright red tongue, also with white middle, swelling of the tongue, aphonia, bleeding from the mouth, toothache from a cold.

Nose bleed, increased sensitiveness of smell, putrid smell from the nose; earache, inflammatory swelling of the parotid glands, discharge of pus from the ears, hard hearing from a cold in the head, ringing and roaring in the ears.

### THROAT.

Sore throat as if a swelling in it, spasms in the fauces with aggravated and painful swallowing, liquids return by the nose,

contractive sensation in the fauces, constant desire to swallow, great dryness and burning in the fauces, angina faucicum, with swelling and redness of the uvula, and velum palati, inflammation, swelling, and suppuration of the tonsils, oesophagitis.

#### APPETITE AND STOMACH.

Loss of taste, bread tastes sour, great thirst for drink, though sometimes unable to swallow it, chronic aversion to food, milk, beer, acids and meat, hiccough, bitter eructations, waterbrash, vomiting, or nausea, bleeding from the stomach, pressure at the stomach after eating, bloating at the pit of the stomach, chronic cardialgia.

#### LIVER, ABDOMEN, AND STOOL.

Pains in the hypochondria, inflammation of the liver, inflammation of the kidneys with stinging, burning pains in the region of the liver.

Colic, painful distension of the abdomen, pain in the abdomen as if raw and sore, inflammation of the bowels, flatulent colic.

*Costiveness*, hard, scanty stool, frequent small diarrheic stools, involuntary stools, dysenteric stools, worms.

#### URINARY AND SEXUAL ORGANS.

Retention of urine, constant urging, difficult emissions of urine, only by drops, scanty, dark red urine, involuntary emissions of urine when standing, nocturnal urinating, inability to retain the urine. Diminished sexual desire, nocturnal seminal emissions.

Females.—Violent pressing down, false spasmodic labor pains, prolapsus and induration of the womb, congestion of blood to the uterus, puerperal fever; the lochia are too scanty, menses too early, too profuse or too pale, suppression, metrorrhagia of bright red blood, or lumps of fetid blood, disposition to miscarry.

#### CATARRHAL, CHEST AND HEART.

Dry nose, catarrh of one nostril with bad smell before the nose; the larynx is very painful when breathing, talking or coughing; constriction of the throat; voice rough, hoarse, feeble and shrill, nasal, tracheitis, aphony; cough after eating, nocturnal cough, mostly dry; cough day and night with tickling in the throat pit, or with headache and red face; spasmodic cough with retching, whooping cough, cough with raising blood, inclination to vomit when coughing.

#### CHEST, LUNGS AND HEART.

Breathing short, hurried, anxious; danger of suffocating when swallowing, oppression of the chest with pain between the shoulders, stitches in the chest, rush of blood to the chest, inflammation of the lungs, swelling and induration of the breasts, galarctorrhæ, milk fever, violent palpitation of the heart, pressure with anguish and trembling at the heart.

## BACK AND LIMBS.

Stiffness of the nape of the neck, painful swelling and stiffness of the neck and nape of the neck, swelling of the cervical, posterior cervical and axillary glands.

Paralysis and heaviness of the arms, pain and pressure in the shoulders, trembling of the hands.

Coxagra, with stitching pain, stiffness in the hip after sitting, spontaneous limping, pain in the knees, heaviness and lameness of the legs and feet, milk leg and swelling of the feet.

## SKIN.

Shining scarlet redness of the skin with heat, itching and burning, smooth, genuine scarlet fever, erysipelas, scarlet rash over the whole body, scarlet spots, boils, measles, gangrenous pocks, bee stings, chilbains, soreness of the bend of the joints, swelled and inflamed breasts, ulcers.

## SLEEP.

Drowsy in the day time with little sleep at night, tries to sleep but in vain, starting as if in a fright during sleep, disturbed by anxious dreams, night mare.

## FEVER.

Chills over the shoulders and back with nausea, chills with aching in the back and sometimes heat of the head, alternate chilliness and heat, rush of blood to the head, and pressure in the forehead; heat, with restlessness, throbbing of the arteries; fevers, inflammatory, catarrhal, rheumatic, nincons, putrid, puerperal, milk and typhoid, with loss of consciousness, or with violent delirium, raging and cries.

## MENTAL AND NERVOUS.

Sad, with hypochondrichal lowness of spirits; crying and howling of children as from rage, anguish and restlessness, tendency to start, mania, loss of consciousness and stupefaction; illusions of fancy, forgetful, dizziness with anguish and falling, dizziness with nausea when stooping and raising the head, hysteric, spasmodic affections.

## No. 4.—BRYONIA.

---

Prominent organs and general affections for which Bryonia has been found curative, specially, viz: *Liver, Stomach, Lungs, Chest, Heart and Nerves.* Rheumatic and arthritic affections with inflammatory fever and swelling, dropsical affections, local inflammations, acute and chronic; bad consequences from rage, physical exertions, straining the back and from a sedentary life; spontaneous dislocations, hysterical convulsions and spasms; tetanus, trismus, active congestions, paralysis, inflammatory tumors, scrofulous affections, tumefaction and induration of the glands; jaundice, measles and affections resulting from that disease, suppressed eruptions, bad effects of suppressed scarlatina, erysipelas, inflammation of the joints, miliary eruptions of children and parturient women; somnambulism, inflammatory fevers with nervous gastric or bilious affections; intermittent fevers and typhoid fevers in the inflammatory period; headache from mental emotions or after a chill; megrim and inflammation of the brain from taking cold; coryza and chronic obstructions of the nose; nose-bleed, ptyalism, convulsive hiccough, chronic dyspepsia, also with vomiting; gastralgia, gastritis, contraction of the cardia, gastric and bilious affections with fever, inflammation of the liver, also of the bowels; dropsy of the abdomen, obstinate constipation, diarrhea alternating with costiveness, amenorrhea, metrorrhagia, hysterical, abdominal spasms, colic of pregnant women; puerperal or child-bed fever, painful inflammation, swelling and induration of the breasts, milk fever, galactorrhæ and sufferings in consequence of weaning; inflammation of the eyes and miliary eruptions of new born infants; catarrh of the respiratory organs from measles or cold; catarrhal, nervous or convulsive cough, hæmoptysis, acute and chronic bronchitis, pleurisy, acute and chronic, principally in aged persons after Aconite; pneumonia, dropsy of the chest, asthmatic complaints, carditis, lumbago, swellings of the feet and inflammation; pain in the back and hip joints, rheumatic inflammation of the knee, gout in the feet, sore and painful corns, and bunions.

### SYMPTOMS CURATIVE BY BRYONIA.

#### HEAD.

Headache as from nightly revelling and after meals; jerking, throbbing headache, rush of blood to the head with heat in the head. The headache is worse when moving about or walking fast; rheumatic headache, cold sweat on the forehead.

#### EYES, EARS, FACE, NOSE AND MOUTH.

Inflammation of the eyes and lids with redness, styne on the lids, bleeding of the ears, feeling of stoppage in the ears, humming in the ears, intolerance of noise.

Red, burning, hot face, lips swollen and cracked, dry lips, lock-jaw, inflammation of the inner nose, frequent bleeding of the nose, also from suppression of the menses.

Drawing, jerking toothache, with sensation as if teeth were loose, or elongated, spongy gums, mouth dry with great thirst, fetid odor from the mouth, tongue dry or coated white, dirty or yellow.

#### THROAT.

Sore throat with difficult swallowing, and great dryness of the throat, tenacious mucous in the throat which cannot be hawked loose.

#### APPETITE AND STOMACH.

Flat or foul taste in the mouth, everything tastes bitter, violent thirst, much appetite, desire for wine, sour drinks and coffee, aversion to food, after meals eructations with pressure at the stomach and colic, gulping up the ingestia, hiccough, inclination to vomit after eating, morning nausea, empty retching with waterbrash, bleeding from the stomach, pressure in the stomach as from a stone after eating, cardialgia, especially when arising from affections of the spleen; stricture of the pyloric orifice, stitching in the stomach when lying on the side, also in the pit of the stomach when making a wrong step. The pit of the stomach feels sore, burning in the stomach during motion.

#### LIVER, ABDOMEN AND STOOL.

Pains in the liver, stinging, tensive and burning, inflammation of the liver, inflammation of the diaphragm, torpid liver.

Colic of pregnant females, chronic pains in the abdomen, distension and bloating after eating, hysteric abdominal spasms, inflammation of the bowels, dropsy of the abdomen, loud rumbling in the abdomen with flatulence, affections of the spleen.

Constipation, chronic costiveness, large-sized stool passed with difficulty, scanty, hard stool as if burnt, diarrhea with colic, nocturnal diarrhea, with burning at the anus, debilitating diarrhea, diarrhea alternating with constipation and cardialgia, involuntary stool during sleep.

#### URINARY AND SEXUAL ORGANS.

Urine scanty, red, brown and hot; almost irresistible desire to urinate, nocturnal urination, involuntary emissions of hot urine when moving about; burning and cutting before urinating; sensation, as if stricture in urethra.

Females. Suppressed menses, premature menses, congestion of blood to the uterus, metrorrhagia with dark red blood, with pain in the small of the back, and headache, puerperal fever with full turgid breasts.

## CATARRH, LUNGS, CHEST AND HEART.

Dryness and stoppage of the nose, chronic, hard, nasal mucous in the shape of dry crusts.

Hoarseness after measles, cough mostly dry, caused by titilation in the throat; spasmodic and suffocating cough, especially after midnight, or after eating and drinking, with vomiting, also in the case of children; cough with stitches in the sides of the chest, or with aching pain in the head; moist cough, cough with dingy, red or yellowish expectoration; acute suppuration of the lungs; cough with expectoration of pure blood or blood streaked with mucous, with little lumps of blood.

Breathing difficult, quick and anxious, or moaning; paroxysms of asthma at night, pressure at the chest as from a load, with oppression; stitching in the chest and sides of the chest, as from an abscess; heat and burning in the chest with anguish and oppression; pleurisy, typhoid pneumonia, especially of old people; hydrothorax, palpitation of the heart, frequently very violent; carditis, induration of the nipples, milk fever, with rheumatic pains in the breast, influenza.

## TRUNK, BACK AND LIMBS.

Pain in the small of the back like a painful stiffness, not allowing one to stand erect; stitching pain in the back and in the small of the back; rheumatic stiffness and tension in the nape of the neck.

Pain in the shoulder joints and upper arms, with tension and stitching, and shining red swelling of the parts, swelling of the arms around the elbow joints; pain as if sprained in the wrist joints; swelling of the hands, stinging pain in the fingers when writing, hot swelling of the finger joints; pain in the hip and drawing pain in the thighs, stitches in the leg from the nates to the ankles; painful tension and stiffness of the knees, shining red swelling of the knees; the knee gives way when walking, pain in the calves down to the ankle; swelling of the legs, ulcers on the legs, arthritic swelling of the feet with redness; corns with sore pain when touched, gout of the feet.

## SKIN.

Erysipelas, especially of the joints; rash, especially of infants and lying-in women; smarting or burning, itching eruptions, ulcers, chilblains, suppressed eruptions, measles, &c., &c.

## SLEEP.

Very drowsy in the daytime; sleeplessness, especially before midnight, owing to heat, anxiety, vascular orgasms, &c., &c. Sleep disturbed by thirst, restless and vexatious dreams; nocturnal delirium and wandering of the fancy with the eyes open; somnambulism and night mare.

## FEVER.

Intermittent fevers, also tertian, especially with coldness prevailing, thirst during the chilliness and heat; dry cough with vomiting; stitching and tightness in the chest when the fever sets in.

Rheumatic, inflammatory, gastric, billious, puerperal, milk, typhoid and typhus fevers; cold sweat on the forehead, profuse sweat, oily sweat day and night, critical sweats, profuse night and morning sweats, also having a sour smell.

## MENTAL AND NERVOUS.

Anxiety, restlessness and dread of the future; a good deal of crying, doubts about one's recovery with dread of death; taciturn, irritable, vexed mood, vehement, loss of memory, vanishing of ideas; the head feels cloudy, dull, confused; vertigo with tottering, vertigo when stooping or when rising from a seat or recumbent position as if one would faint.

---

## No. 5.—CHAMOMILE.

---

Peculiarly adapted to affections of women and children; very useful as a family medicine; acts specially upon the *Stomach, Liver, Bowels, Lungs and Nerves*. Good for bad effects of coffee and narcotic palliatives; sufferings in consequence of a chill, sudden grief or passion, convulsive or spasmodic attacks, principally in new-born infants; soothing to children during dentition and hysterical women in pregnancy; fainting fits and hysterical weakness, epileptic convulsions, catalepsy, nervous excitement, atrophy and emaciation of scrofulous children, miliary eruption of children, rawness and excoriation of the skin of children; disposition of wounds to ulcerate, erysipelatous inflammations, jaundice, lethargic state with fever; inflammatory and nervous fevers with delirium, intermittent fevers of children; hysterical, nervous and catarrhal headache; inflamed eyes of new-born infants from chill; toothache from the abuse of coffee, or a chill; difficult dentition with diarrhea fever and convulsions; billious and gastric affections, sour stomach in children; spasmodic or flatulent colic, inflammation of the bowels, protrusion of inguinal hernia; mucous or billious diarrhea, metorrhagia after accouchment, abdominal spasms of pregnant women, menstrual colic, violent pains after child-birth; precursory symptoms and bad effects of abortion, puerperal peritonitis, suppression of milk, milk fever, soreness of the nipples, erysipelas of the breasts, induration of the breasts with swelling; convulsions, cries, colic, diarrhea and excoriation of infants; catarrhal cough and hoarseness of infants, inflamma-

tory affections of the respiratory organs, laryngitis, bronchitis, tracheitis, croup, whooping-cough, suffocating cough, spasmodic and flatulent attacks of asthma, chiefly in young children ; cramps in the calves of the legs.

## SYMPTOMS CURATIVE BY CHAMOMILE.

### HEAD.

Headache during sleep, or early in the morning, stitching headache from suppression of sweat or after a cold ; rush of blood to the head with beating in the brain.

### EYES, EARS, FACE, NOSE AND MOUTH.

Inflammation of the eyes and margin of the lids with pain, especially after a cold, and in new born infants ; spasmodic closing of the lids, distortion of the eyes.

Earache and inflamed swelling of the parotid glands, ringing and humming, and discharge from the ears.

Pale face, one cheek red and the other pale ; swelling of the face.

Nose sore and ulcerated, very sensitive smell.

Toothache from cold and after drinking coffee and warm drinks ; nocturnal toothache.

Dry mouth, froth at the mouth, convulsive motions of tongue.

### THROAT, STOMACH AND APPETITE.

Sore throat of children and when caused by a cold, with dark redness of fauces, cardialgia and aching pain in the pit of the stomach after eating.

Taste bitter or foul, bread tastes sour, no desire for food or drink, fainting sort of nausea, vomiting of bile, slimy or sour vomiting.

### ABDOMEN AND STOOL.

Tearing colic, abdominal spasms, inguinal herina, flatulent colic with bloating in children, liver affections.

Diarrhea generally watery, green, slimy or like stirred eggs, especially infants ; diarrhea during dentition.

Urging to urinate, hot, yellow urine.

### FEMALE SEXUAL ORGANS.

Metrorrhagia consisting of occasional discharges of coagulated dark blood, with labor-like pressing from the small of the back to the sexual organs ; painful after pains, puerperal fever, inflammation of the womb, yellow smarting leucorrhœa, abdominal spasms of pregnant women.

LUNGS, CHEST AND RESPIRATION.

Catarrh and hoarseness, especially in children; bronchitis, membranous croup, burning in the larynx, cough with tickling in the throat, cough more violent at night and after crying from anger in children, cough after measles, cough loose with rattling of mucous, hoarseness and pain in the throat.

Wheezing and rattling during respiration, suffocative stoppage of breath in infants, sore nipples, indurated breasts with suppression of milk.

TRUNK, LIMBS AND SKIN.

Rheumatic drawing pains in the small of the back, spasmodic stiffening and drawing in the back, and inflammatory swelling of the cervical glands in children; the arms go to sleep and feel stiff, convulsions of the arms, clenching of the thumbs, pain in the hips and lower limbs, worse at night; crampy feeling in the calves and lameness in the feet.

Rash of small children, rawness and soreness of infants; inflammatory glandular swellings, erysipelas.

SLEEP AND FEVER SYMPTOMS.

Sopor or half sleep, with feverish restlessness, moaning and starting, nocturnal sleeplessness with paroxysms of anguish, talking, crying, screaming and starting and tossing about during sleep of children.

Shuddering with internal heat, fever with nightly exacerbations, inclination to vomit, catarrhal and rheumatic, gastric and billious fevers, child-bed fever, fever with delirium.

MENTAL AND NERVOUS.

Restlessness with anxious moaning, vexed and whining mood, with crying of children, crying of new born infants.

Absence of mind, wakeful reverie as though not able to comprehend what is said; dizziness early in the morning or after drinking coffee, faint, dizziness, with obscuration of sight.

---

## No. 6.—HEPAR SULPHUR.

---

Acts particularly upon *Stomach, Liver, Blood and Respiratory Organs*. General affections, arthritic affections with inflammatory swelling, evil consequences of the abuse of mercury, obstruction, inflammation and suppuration of the glands; phlegmonous inflammations, rheumatic affections, atrophy of children, scrofulous affections, salt rheum, jaundice, simple, plegmonous and vesicular erysipelas, nettle rash, tetters on the face, rhagades from the abuse of mercury, inveterate, putrid, cancerous ulcers, itch and other cutaneous affections; excessive nervous excitement, especially from the abuse of mercury; megrim, baldness from the

abuse of mercury, violent, acute diseases or nervous headache, scald head, tetters on the face and ears, eruptions on the face; scrofulous, arthritic, traumatic or catarrhal inflammation of the eyes; ulcers on the cornea, otitis with purulent discharge from the ears, scrofulous swelling of the nose, salivation with ulceration of the mouth from mercury; sore throat with ulceration and swelling, scrofulous buboes, diarrhea and dysentery, unhealthy lochia, cancer of the breasts, cough with hoarseness, croup in the exudatory stage; acute and chronic laryngitis, pulmonary consumption, panaris, hoarseness, loss of voice, chronic catarrh, cough with bloody expectoration, dyspepsia, syphilis, fever sores, ulcers, tumors, carbuncles, lymphatic swellings, goitre, gleet and gonorrhæ, sore mouth, aphthæ and stomacace, chicken pox, diphtheria, sore throat with croupy symptoms.

## SYMPTOMS FOR WHICH HEPAR SULPHUR IS CURATIVE.

### HEAD.

Boring headache, especially at the root of the nose every forenoon, falling out of the hair, pimples and blotches on the head, scald head.

### EYES AND EARS.

Inflammation of the eyes and eye lids, erysipelatous, scrofulous and rheumatic, with sore pain when touching them, specks and ulcers on the cornea, lachrymation and nightly agglutination, dimness of sight.

Discharge of fetid pus from the ears, hardness of hearing, beating and humming in the ears.

### NOSE, FACE, MOUTH AND THROAT.

Inflammation and soreness of the nose, bleeding of the nose, small either deficient or too acute.

Bright red face, erysipelas and swelling of the face; the facial bones are painful; chronic eruptions and pimples on the face; ulceration of the corners of the mouth, flow of water in the mouth, salivation, ulcers in the mouth with ash colored base; drawing, jerking toothache,—worse when pressing the jaws together.

Sore throat, as if from a plug, scraping sore throat, stinging in the throat as from splinters, ulcers in the throat, yellow patches or white, dry throat, swelling of the tonsils, goitre.

### STOMACH AND APPETITE.

Pressure at the stomach, oppressive swelling of the region of the stomach, also as from seated flatulency; one cannot bear tight clothes, stomach easily deranged, loss of taste, eructations, nausea, sour, bilious, green or bloody vomiting, appetite for acid things, dyspepsia, also very bad.

## ABDOMEN AND STOOL.

Stitches in the spleen, also in the region of the liver; inflammation of the kidneys with burning pain in the small of the back, contractive pain and spasms in the abdomen; swelling and suppuration of the inguinal glands, buboes; stool hard and dry, sour, whitish diarrhea of children, dysenteric, green, slimy and bloody stools.

## URINARY AND SEXUAL ORGANS.

Nocturnal enuresis, acrid, excoriating or dark red urine, with heat; discharge of blood after urinating, discharge of mucous from the urethra; gleet, discharge of prostatic fluid after stool, want of sexual desire.

Rush of blood to the uterus, morbid lochia; leucorrhœa with smarting.

## CATARRHAL, LUNGS, CHEST AND RESPIRATION.

Catarrh, especially on one side, with scraping in the throat; fetid mucous from the nose.

Croup, hoarseness, tracheal consumption, tubercular ulceration of the lungs; hoarse cough, dry cough, whooping cough; paroxysms of dry, hoarse cough with retching and anguish; pain in head when coughing, barking, also shrill cough, sneezing.

Anxious, hoarse wheezing breathing, with danger of suffocation when lying down; suffocative fits, stitches in the chest when drawing breath or walking; boils and pimples on the chest which feel sore and suppurate; cancerous ulcers of the breasts, swelling and induration of the breasts.

## BACK, LIMBS AND SKIN.

Pain in the small of the back as if bruised, also between the shoulder blades; fetid sweat under the arms, ulceration of the axillary glands.

Pain in the shoulders as if bruised; rheumatic swellings of the hands and finger joints with heat and redness; pain as if sprained on moving them; rough, dry cracked skin of the hands, eruption on hands and wrists; deadness of the fingers, felons on hands or fingers.

Pain in the hip joints, also when disposed to suppurate; weakness of the legs, swelling of the knees, cramp in the calves, soles and toes; burning of the feet, rheumatic swelling of the tarsal joint with redness; swelling of the ankles, rhagades of the feet, stinging in the corns.

Erysipelas, burning, itching over the whole body; nettle rash, pimples, blotches, unhealthy skin; itch, rhagades, readily bleeding ulcers, salt rheum, felons, boils, carbuncles, ulcers, tumors, cancerous ulcers, running sores and suppurations of every description; fever sores, inveterate syphilis, scrofula, swelled

glands with ulceration ; rheumatic swellings, goitre, ill effects of mercury.

#### SLEEP AND FEVER.

Convulsive yawning, restless, stupid slumber ; starting at night as if suffocated for air ; shivering, especially in the open air, chilliness with chattering teeth and cold hands and feet, followed by heat and sweat ; dry heat at night, flushes of heat with sweat ; disposed to sweat in the day time, night sweat, morning sweat, clammy, sour sweat.

#### MENTAL AND NERVOUS.

Sadness, anguish in the evening, repugnant mood, even to one's own family ; vehement, passionate with hurried speech and weak memory ; visions early in bed, vertigo when shaking the head, also when riding in a carriage, fainting nausea.

---

## No. 7.—HYOSCYAMUS.

---

Acts particularly upon the *Nerves, Stomach, Liver, Womb and Lungs, &c.* General affections cured by Hyoscyamus, viz : Convulsions, cramps, hysterical spasms, epilepsy, St. Vitus dance, lock-jaw and other spasmodic affections ; excessive nervous excitement with sleeplessness ; typhus, intermittent and worm fevers ; weakness and imbecility, delirium tremens, madness, rage and other mental alienations ; hydrophobia, brain fever, dropsy of the brain, dimness of sight ; toothache from chill, spasmodic hiccough, dyspepsia with vomiting of food, also in children ; bleeding from the stomach, gastritis, enteritis, spasmodic colic, diarrhea of lying-in women ; paralysis of the sphincter ani, paralysis of the bladder ; spasms, diarrhea and other affections of pregnant women ; cramps in the womb, child-bed fever, convulsions, vomiting and other affections of new-born infants ; cough of old men, convulsive cough, cramps in the chest, inflammation of the lungs with nervousness ; organic affections of the heart, impotence, trembling and weakness of muscles, painful menstruation, menses too abundant, metrorrhagia of bright red blood, disposition to miscarriage or abortion.

#### SYMPTOMS FOR WHICH HYOSCYAMUS IS CURATIVE.

##### HEAD.

Headache as from concussion of the brain ; stupifying ache in the forehead after eating ; hemicrania, balancing sensation in the brain, typhoid inflammation of the brain, dropsy of the brain : the head shakes to and fro.

## EYES, EARS, NOSE, TEETH, FACE, MOUTH AND THROAT.

Eyes dull, red, protruded, staring, distorted ; spasmodic motion of the eyes and closing of the lids ; dilated pupils, dim sight, far sight, near sight, illusion of sight ; objects seem large or look red ; hemeralopia, incipient amaurosis.

Humming in the ears, hardness of hearing.

Nose-bleed, loss of smell.

Throbbing toothache after a cold, or when exposed to a cold air ; the teeth feel loose and elongated.

Face cold, pale, bloated, dry lips, lockjaw.

Froth at the mouth, dry mouth, bad smell from the mouth ; burning on the tongue with numbness as if burnt ; red tongue, paralysis of the tongue, loss of speech ; tongue parched and dry or coated brown.

Throat dry and burning hot, inability to swallow liquids with constriction as in hydrophobia.

## APPETITE AND STOMACH.

Loss of taste, canine hunger with thirst ; aversion to drinks.

Nausea when pressing on the pit of the stomach ; choking and vomiting with vertigo, vomiting of bloody mucous and dark red blood ; vomiting of the ingesta, periodical cardialgia, abating after vomiting ; pit of stomach painful, burning in the stomach ; gastritis inflammation of diaphragm.

## ABDOMEN AND BOWELS.

Distended abdomen, painful when touched ; colicky abdominal spasms, cutting colic, inflammation of the bowels ; the muscles are painful as if bruised, sore pain when coughing.

Constipation, frequent urging with scanty discharge ; watery diarrhea ; diarrhea of lying-in women ; involuntary stools, painless diarrhea ; paralysis of the sphincter ani.

## URINARY ORGANS AND WOMB.

Retention of urine, frequent urging with scanty emission ; enuresis, copious, watery urine ; involuntary discharge of urine, paralysis of the bladder ; profuse menses, suppressed menses, suppressed lochia, delirium during the menses, also enuresis ; sweat and trembling previous to menses, hysteric, spasms and loud laughter ; sterility, puerperal fever, diarrhea and spasms of pregnant women.

## LUNGS, CHEST AND HEART.

Catarrh of the bronchial passages, nocturnal, dry, spasmodic cough, or cough with irritation ; dry, racking, panting cough, after and during measles, with painful soreness of the pectoral muscles ; greenish expectoration, incipient suppuration of the lungs ; attacks resembling whooping cough, bloody cough with

congestion ; tightness of the chest and labored rattling breathing, oppression as after running ; spasms of the chest with short breathing, stitches in the sides of the chest, typhoid pneumonia. Affections of the heart.

#### BACK, LIMBS AND SKIN.

Pains in the back and loins with swelling of the feet ; stitches in the loins and scapulæ.

Trembling of the arms at evening after exercise ; numbness and rigidity of the hands ; swelling of the hands, clenching of the hands and thumbs, trembling of the hands.

Painful spasms of the thighs and calves ; contracting the limbs, stiffness and languor of the knee joints, swelling of the feet.

Dry, brittle skin, dry pustules, like confluent small pox ; brown spots on the body, large boils, gangrenous spots and vesicles.

#### SLEEP AND FEVER.

Coma Vigil, grasps at things in the air and about the bed with picking at the bed clothes ; starting as if in affright during sleep, sleeplessness owing to excessive nervous excitement.

Shuddering from the feet to the head ; violent heat of the body, especially the head ; puerperal fever, putrid, worm and typhus fevers ; contagious typhus fever with epileptic attacks.

#### MENTAL AND NERVOUS.

Melancholy, dread of men, mistrust, escapes from his house during the night ; fear of being poisoned, anguish, inclined to laugh at everything ; jealous, quarrelsome, with rage and trying to kill people ; hydrophobia, mental alienation caused by brandy ; loss of memory, imbecility, lascivious mania, apathetic insensibility ; head feels dull and heavy, vertigo as if intoxicated, hysterical ailments.

## No. 8.—HELLEBORE, or VERATRUM ALBA.

Deserves special notice for its tonic properties. Acts prominently upon the *Liver, Stomach, Heart, Lungs, Womb and Nerves*, and is curative for the following general affections and symptoms, viz: Bad affects from fear, fright, or vexation with rage ; rheumatic sufferings, especially in legs and hips ; hysterical spasms, physical and nervous weakness, emaciation and prostration from long sickness ; fainting fits, gastric and intermittent fevers ; chilliness, then heat, nervous headache, sporadic or Asiatic cholera, and cholera infantum ; dyspepsia, diarrhea of various kinds, also those produced by cold drinks when overheated ; vomiting, also bloody ; nausea, seasickness, obstinate constipation, dysmenia of

young girls ; vomiting and other gastric symptoms of pregnant women ; nymphomania of lying-in women, child-bed fever, hernia in children ; whooping cough, cough producing vomiting, dizziness of the head, cold perspiration, roaring in the ears, cramp of the stomach and limbs, difficult breathing, shortness of breath ; chest much oppressed from colds, or spasmodic asthma ; croup and asthma of Millar ; violent palpitation of the heart, pains in the sides and back ; worms and worm fever in children ; regulates menstrual discharges when suppressed, or when too early and too profuse ; imparts general strength to the whole system ; sore throat with dryness, soreness and inflammation of the inner mouth ; sick headache, nervous debility, catarrh, bronchitis, colic.

## SYMPTOMS CURATIVE BY VERATRUM ALBA.

### HEAD.

Hemicrania with nausea and vomiting ; headache with stiffness of the nape of the neck ; oppressive and severe headache, beating headache, sick-headache, cold sweat on the forehead ; dizziness.

### EYES, EARS, FACE, MOUTH AND TEETH.

Pain as if the eyeballs were bruised ; painful ophthalmia, paralysis of the lids, aglutination during sleep, &c., &c.

Deafness, as if the ears were stopped ; roaring in the ears.

Face pale, cold, sunken ; burning heat and sweat of the face ; lockjaw. Inflammation of the inner mouth ; burning in the mouth, froth at the mouth, red, dry or blackish cracked tongue ; numb feeling and excessive dryness of the palate ; toothache, grating the teeth, loose teeth.

### THROAT, APPETITE AND STOMACH.

Constrictive, strangulating sore throat ; swelling and burning in the fauces and œsophagus ; dryness in the throat which cannot be quenched by any kind of drink ; roughness and scraping in the throat.

Billious, bitter, herby, putrid taste ; unquenchable thirst for cold drinks ; canine hunger and voracious appetite ; desire for sour or cooling things, aversion to warm food ; vomiting and diarrhea after eating, violent hiccough.

Violent, empty eructations ; sour or bitter eructations ; great nausea with desire to vomit, violent vomiting with constant nausea and prostration ; vomiting of black bile and blood, also of froth, and white, yellow and green mucous ; vomiting and diarrhea, cholera morbus, pain and sensitiveness in the region of the stomach ; empty and qualmish, pressure and burning in the stomach, weakness, anguish and inflammation of the stomach.

## ABDOMEN AND STOOL.

Colic after cold, abdomen painful to contact ; colic at night, swelling and bloating of the abdomen ; burning in the abdomen ; bruising pain in the abdominal viscera, inflammation of the bowels, inguinal hernia ; flatulent colic with hard distention of the abdomen.

Constipation, also chronic ; costiveness, also of children ; torpor of the rectum, hard stool of too large size ; violent diarrhea, also painful ; nocturnal diarrhea, bloody diarrhea, green, brown or blackish diarrhea ; unperceived discharge of thin stool during the emission of flatulence ; cholera and cholera morbus, pressing towards the anus with blind piles ; specific in worm affections ; during stool great prostration and burning heat at the anus.

## URINARY ORGANS AND WOMB.

Retention of urine, ineffectual urging to urinate when the bladder is empty, with pain in the urethra ; enuresis with thirst and hunger ; diabetes, involuntary emissions of urine ; acrid urine, dark, frequent but scanty urine ; aching pain and burning during urination.

Menses too soon and profuse ; suppressed menses, menses preceded by headache ; vertigo, nose bleed and night sweats, accompanied by humming in the ears ; thirst and pains in the limbs, suppressed lochia, nymphomania of pregnant women.

## CATARRH, CHEST AND HEART.

Dryness in the nose, violent and frequent sneezing, catarrh.

Catarrhal huskiness in the chest, with roughness and scraping in the throat ; bronchial inflammations, cough caused by titillation with easy expectoration or else dry cough ; violent cough causing eructations and desire to vomit ; hot and dry cough mostly at night or in the morning ; cough with pain in the side, debility and short breath ; deep hollow cough, paroxysms of whooping cough ; cough after measles, cough with copious expectoration.

Frequent suffocative stoppage of breath ; shortness of breath after the least exercise, and even when still ; a good deal of oppression on the chest and pain in the side when drawing breath ; tightness and pressure of the chest, painful spasmodic constriction of the chest ; asthma and asthma of Millar, colds and phthisic, cramps and pain in the chest, stitches in the chest with stoppage of breath ; violent palpitation of the heart attended with stoppage of breath and paroxysms of excessive anguish about the heart ; equalizes the circulation of the blood, consequently the beatings of the heart are rendered natural and easy.

## BACK, LIMBS AND SKIN.

Pains in the back and small of the back as if bruised, also

drawing and aching, particularly when stooping and rising up; rheumatic stiffness of the nape of the neck, also with vertigo; laming weakness of the posterior cervical muscles in supporting the head.

Laming and bruising pain of the arms from the shoulder joint to the wrist; the arms feel as if gone to sleep, tingling in the hands and fingers; the fingers are dead and numb, icy cold hands, cramps in the fingers.

Lameness of the hip joints with difficult walking; lame and bruising pain of the lower limbs, tension as if the hamstrings were too short; limbs ache as if from fatigue, cramps in the limbs, a sudden swelling of the feet, trembling of the feet, stiching in the toes, painful gout, soreness of the corns.

Eruptions of the skin, red, dry itch-like, worse in the warmth, burning after scratching; worse at night, nettle rash, blue color in cholera.

#### SLEEP AND FEVER.

Sleepless, restless sleep, tossing about with anxious, confused dreams; coma, or coma vigil, starting as in a fright with eyes half closed; sleeps with arms over the head, moaning during sleep.

Coldness all over, with cold, clammy sweat, especially on the forehead; shuddering and chilliness with desire for cold water; shuddering and gooseflesh after drinking; intermittent fevers with coldness only on the outside; chilliness and heat, afterwards constant heat and thirst; dark urine, during the chilliness vertigo, nausea, pains in the back and small of the back; during the heat delirium with red face; lentescent typhus fevers, pulse slow and almost extinct, or small, quick and intermittent; liability to sweat in the day time from the least exercise; cold sweat all over.

#### MENTAL AND NERVOUS.

Melancholy, depression of spirits, whining mood; excessive anguish and oppression with forebodings and anxiety of conscience, tendency to start with fearful mood; moving about to and fro, as if very busy; very much out of humor; disposed to be silent, dwelling on the faults of others; sometimes mirthful, at other times raging; trembling of the limbs, convulsive motions, fainting fits.

## No. 9.—IPECAC.

---

Organs more especially influenced, are the *Stomach, Liver, Lungs and Nerves*, and curative for the following general affections and symptoms, viz: Affections from taking cold; indigestion or debauch, also cramps, convulsions, tetanus, and other spasmodic affections, especially in children and hysterical persons; hemorrhage from various organs, miliary eruptions, gastric and billious fevers, also intermittent; slow fevers, gastric uneasiness when caused by indigestion, or by abuse of coffee or fat pork; Asiatic cholera, premonitory, also cholera infantum; gastric affections with nausea, vomiting and diarrhea, enteritis, gastritis, hysterical abdominal spasms; diarrhea of children, vomiting of pregnant woman, puerperal fever; metrorrhagia, laryngitis, grippe, convulsive or suffocating cough; whooping cough, suffocating catarrh, asthma of Millar and other asthmatic affections; cramps in the chest, symptoms of abortion. It also deserves attention in the chronic, dry, spasmodic cough, attended with shortness of breath and vomiting, and troublesome tickling in the larynx so common after croup, in chronic inflammation of the air tubes; in influenza with violent straining and retching with the cough; in asthma caused by the suppression of nettle rash, &c., &c.

### SYMPTOMS FOR WHICH IPECAC IS CURATIVE.

#### HEAD.

Headache as if the head would burst; hemicrania, nausea and vomiting; stitching ache with heaviness of the head; pressure in the head, dizziness when walking, coldness of the ears during fever heat; twitching of the eye lids, nose bleed, loss of smell.

Face, pale, bloated; blue around the eyes, convulsive twitching of the muscles of the face and lips; slow of saliva in mouth, with yellow-coated tongue; sore throat from swelling in the pharynx, difficulty of swallowing as if the tongue and pharynx were paralyzed.

#### APETITE AND STOMACH.

Flat taste, sweet taste as of blood; bitter taste early in the morning; tobacco causes nausea and vomiting to those habituated to its use; aversion to every kind of food; desire for dainties; ill effects of pork and pastry, nausea with flow of saliva; empty retching, vomiting of thin bile, or of green, bitter, sour, acrid smelling water, and jelly-like mucous; bloody vomiting, vomiting with diarrhea, cholera infantum, water brash.

Violent distress in the stomach; sensation, as if empty and hanging down, relaxed, swelling of the stomach, gastritis.

## ABDOMEN AND STOOL.

Sensation as if a hand were pressing on the abdomen and the anterior joints were boring into the bowels; hysteric abdominal spasms, flatulent colic, diarrheic fermented stools; chronic diarrhea, green, fetid, bloody, bilious and mucous diarrhea; dysenteric stools with flocks and tenesmus, diarrhea with nausea, colic and vomiting.

## URINARY AND WOMB.

Urine turbid, with brick dust sediment; scanty, red urine, discharge of pus from the urethra, metrorrhagia; the blood being bright red, miscarriage, vomiting of pregnant females.

## CATARRH, LUNGS, CHEST, HEART AND SKIN.

Inveterate dry coryza, stoppage of the nose; bronchitis, cough especially at night with gagging and vomiting; dry, racking, spasmodic cough with suffocation, arrest of breathing; whooping cough, bloody cough, breathing anxious and hurried, spasmodic tightness of the chest with contraction of the throat and panting breathing; mucous rattling in the chest, fetid breath, suffocative fits in the room, sobbing breathing; asthma of Millar, sore pain in the chest.

Palpitation of the heart, violent itching with nausea; rash, also suppressed herpetic eruptions with itching in the evening in bed.

## SLEEP AND FEVER.

One sleeps with eyes half open, restless sleep with moaning; frightful dreams with frequent starting.

Shuddering with coldness of the limbs and face; coldness, especially of the hands and feet, with profuse cold sweat on the same; previous to the chilliness, malaise, stretching and languor; thirst only during the chill, intermittent fevers, also after abuse of quinine; mucous, puerperal, and putrid fevers.

## MENTAL AND NERVOUS.

Crying of children, anguish and fear of death; peevish and contentious, irritable, impatient, slow ideas, dizziness when walking.

## No. 10.—MERCURIOS VIV.

---

Special organs, *Liver, Stomach, Lungs, Heart, Spine, Womb and Nerves*. General affections, rheumatic and arthritic affections, with inflammatory swellings; local inflammations, syphilitic, scrofulous, rickety and dropsical complaints; attacks of convulsions, epilepsy, chronic sufferings from the abuse of wine, coffee, as well as those arising from venereal excess, or onanism; sanguinous congestions or hemorrhage; exostosis, necrosis, caries, and other diseases of the bones; swelling and inflammation of the glands and face; psoric, miliary, urticarious, purulent and pustular eruptions of the skin; itch, erysipelas, syphilitic spots and ulcers, and other ulcerations and suppurations; affections of the liver, stomach and bowels; jaundice, malignant scarlatina, small pox, inflammatory and billious fevers; sweating profusely, typhus fever of a mucous, billious or putrid form; atrophy of scrofulous children, *nostalgia*, cerebral congestions with vertigo; sanguinous apoplexy, concussion of the brain; catarrhal and rheumatic ophthalmia, erysipelas of the nose; difficult dentition of children with fever and diarrhea; sore mouth, sore throat with swelling, inflammation and suppuration; syphilitic ulcers in the throat, salivation, cholera morbus; diabetes, gonorrhœa, chancres, buboes, erysipelas of the scrotum, inflammation and dropsy of the ovaries; falling of the womb, ulceration of the womb, dysmenorrhœa, leucorrhœa, sterility, excoriation, swelling and ulceration of the breasts; catarrhal and inflammatory affections of the respiratory organs and lungs; cough with premonitory symptoms of consumption; bloody, white, or yellow expectoration; common colds, dropsy, rheumatism, suppressed menses, menstrual colic, diphtheria, dysentery.

### SYMPTOMS FOR WHICH MERCURIOS VIV. IS CURATIVE.

#### HEAD.

Severe headache as if the head would fly to pieces; headache, also on one side extending to the teeth and cervical muscles with stitches in the ear; rush of blood to the head with heat in same; hydrocephalus, itching, dry, or humid scald head; falling off of the hair.

#### EYES, EARS, NOSE, FACE, TEETH AND MOUTH.

Pressure and pain in the eyes as from sand; pain under the lids; itching and heat and burning smarting in the eyes, especially in the open air; acute and chronic inflammation of rheumatic, scrofulous, and syphilitic nature, with redness of the whites, and

intolerance of light and fire ; profuse lachrymation, swollen lids with ulcers and scurf on the margin ; nightly agglutination, ulcers on the cornea ; faint eyes without lustre, dimness of sight, incipient amaurosis, mist, sparks, or black spots before the eyes.

Pain in the ears, the inner ear is sore ; inflamed ears, purulent discharge from the ear, also bloody ; inflammatory swelling of the parotid glands ; hardness of hearing, also when caused by a cold or enlargement of the tonsils ; roaring, ringing and rushing in the ears ; stoppage of the ears.

Red, shining swelling of the nose, with itching ; sore nose, discharge of fetid pus ; nose bleed, especially when coughing or sleeping.

Face pale or yellow, jaundice, fever and redness of the face ; bloated or swollen face, yellow crust in face, malignant crusta lactæ, swelling from toothache ; cracks in the lips, deep ulcerated sores on lips ; ulcerated corners of the mouth, crampy stiffness of the jaws, hard swelling of the sub maxillary glands, mumps.

Toothache, worse from cold or warm things, becoming intolerable at night in bed ; toothache from cold affecting the whole side of the face, also from decayed teeth ; they are loose and fall out ; swollen, receding, bleeding, white and ulcerated gums ; fetor of the mouth, inflammatory swelling of the inner mouth, ulcers in mouth ; aptha, stomacace, fetid, ptyalism, nursing sore mouth, inflammation, swelling, or ulceration of the tongue, coated white, moist or hard and dry, also dark or black coating ; loss of voice, ranula.

#### THROAT.

Sore throat, smarting, difficult swallowing ; ulceration, burning, aching, with dryness ; constant urging to swallow ; fauces inflamed and painful ; inflammation and swelling of the uvula ; suppuration of the tonsils, syphilitic ulcers in the throat ; difficult swallowing, beverage returns by the nose, goitre, acute and chronic affections of the throat.

#### APPETITE AND STOMACH.

Food is tasteless, foul, metallic, saltish, sweet or bitter taste in the mouth ; violent thirst for cold drinks, canine and ravenous hunger, even sometimes after a meal ; aversion to food, especially warm and solid food ; very weak digestion.

Acrid, bitter, or foul eructations ; nausea with sweetish taste in the throat ; bitter, billious vomiting, dizziness and headache.

Pressure at the stomach with sensation as if dragged down, even after the lightest kind of food ; burning at the pit of the stomach ; the region of the stomach is very painful, dyspepsia.

#### LIVER, ABDOMEN, AND STOOL.

Inflammation of the liver, torpid or indurated liver ; the region of the liver is painful.

Bloated abdomen, with pain and pressure; cutting and pinching in the abdomen, colic and lancination; feeling in the abdomen as if alive, shaking of bowels when walking as if loose; inflammation of bowels, peritonitis, dropsy of the abdomen; rumbling in bowels, painful inflammation, swelling or suppuration of the inguinal glands; syphilitic chancre and buboes.

Constipation, ineffectual urging with tenesmus; hard tenacious, lumpy stool, which passes with difficulty; tenacious, sour, mulling, or green, slimy, acrid, bloody, excoriating stools; diarrhea from cold evening air with colic; slimy diarrhea, green or watery diarrhea of children, also from teething; dysenteric stools, also of infants, dysentery, scanty, bloody, painful, slimy stool; violent urging and tenesmus, undigested stools; discharge of bright red blood, burning at the anus, prolapsus of the rectum, piles, worms.

#### URINARY, MALE AND FEMALE SEXUAL ORGANS, AND WOMB.

Continual urging to urinate with scanty emissions; sudden urging, excessive micturition, involuntary emission of urine; dark red, fetid, sour smelling, acrid and bloody urine; urine with brick dust sediment, also pus; bleeding from urinary organs; burning and stinging in the urethra during, between and after urinating; thick, yellowish, or green gonorrhoea.

Painful inflammation and swelling of the glans and prepuce; ulcers on the glans.

Swelling of the testes, emission of bloody semen, syphilis.

Female.—Swelling of the organ with heat and shining redness, profuse menses with colic; menses too feeble and short; rush of blood to the womb, suppression of the menses; sterility, prolapsus of the womb, also of the vagina; inflammation of the womb and ovaries; weakness of the womb, ovarian dropsy, leucorrhoea, purulent and corrosive with itching and smarting.

#### CATARRH, LUNGS, CHEST AND HEART.

Chronic catarrh, catarrh with sneezing and cough; dry nose, profuse excoriating, watery discharge; laryngitis, hoarse, husky voice, with burning and tickling in the larynx; loss of voice, influenza, cough with hoarseness; cough caused by irritation of the larynx; dry titilating cough in the evening, racking, dry cough at night, especially; dry, spasmodic cough with retching; cough with expectoration, ulceration of the lungs, common colds, cough with bloody expectoration.

Tightness of the chest and shortness of breath when going up stairs, or walking fast; stitches in the chest and pain in the sides; burning in the chest, pneumonia, hard swelling of the breasts or suppuration, especially the nipples; bad milk which the infant refuses, palpitation of the heart.

## BACK, LIMBS AND SKIN.

Pain in the small of the back with weakness, as if unable to support it; pain from the stomach, through, to between the shoulder blades; stiffness in the nape of the neck with rheumatic swelling, lumbago.

Rheumatism in the shoulders and arms, red, hot swelling of same; lameness of the hands and joints of the fingers; contraction of the finger; deep, painful rhagades in the fingers, felons.

Rheumatism in the back and hips; worse at night; hip disease, pain extending to the knees, debility, heaviness and bruised, aching feeling of the legs; shining, transparent, dropsical swelling of the limbs; contraction of the legs, and cramp in the calves and toes; cold feet and cold sweat on the feet; painful swelling of the tarsal bones.

Skin of a dingy yellow, rough and dry; violent itching of the whole body, aggravated by the warmth of the bed; itching rash, and itch; burning after scratching; suppurating pustules and liver spots on the skin; erysipelatous inflammations, benign and malignant swellings; tumors and suppurations, syphilitic ulcers, felons, buboes, malignant scarlet eruptions, chronic goitre.

## SLEEP AND FEVER.

Very drowsy in the daytime, with nightly sleeplessness, or falling asleep late from anxiety, heat or vascular orgasm; uneasy, superficial sleep, frightful dreams.

A good deal of chilliness, shivering and cold creepings, as if cold water were poured over one; chill in the evening or at night, even near a warm stove; chills with heat of the face and burning cheeks; fever with burning heat, with aggravation of pains when uncovered; hectic fevers, nocturnal fevers, mucous fever with prostration; intermittent fever, worm fever, puerperal fever, billious, typhoid and inflammatory fevers, with disposition to sweat; morning sweat, profuse night sweats, sometimes smelling sour, or of an oily, greasy nature.

## MENTAL AND NERVOUS.

Anguish, apprehensive mood, restless, with fear of losing one's senses; aversion to life, apathy, out of humor, obstinate, impatient, whining mood, mania.

Weak memory, absence of mind, illusion of the fancy; delirium, mental aberration of drunkards; dullness of the head, dizziness, evening vertigo with nausea, heat and anxiety.

## No. II.—NUX VOMICA.

---

Special organs, *Stomach, Liver, Heart, Spine, Lungs, Spleen and Nerves*. Curative for the following general affections and symptoms, viz: Sufferings from the abuse of coffee, wine, liquors or narcotic drugs; rheumatic affections, sufferings and pains in the limbs, back and hips in rough, stormy weather; physical and nervous debility caused by onanism, pollutions and other debilitating losses; dyspepsia, attended with melancholy lowness of spirits; great loss of vital energy, palpitation of the heart; convulsions, epilepsy, lockjaw, St. Vitus dance, paralysis, sea-sickness, sick-headache, piles, colic, hernia, peritonitis, spasmodic retention of urine; stranguary, catarrh, catarrh of the bladder, gonorrhœa, orchitis, inflammation of the spermatic cord; menstrual colic, amenorrhœa, leucorrhœa, falling of the womb, constipation; obstinate, abortion, sore mouth, sore throat, inflammatory, gastric, bilious and mucous affections; mania, inflammation of the liver and kidneys; affections from sedentary habits and excessive study; sufferings from intoxication, headaches of various kinds; inflammation of the eyes, earache, congestion of blood to the head; dizziness, weak stomach, vomiting after eating, nausea, coughs and colds; hicough, mucous and bloody diarrhea; blind and bleeding piles; heart burn, puerperal peritonitis, whooping cough, convulsive cough, bronchitis, pleurisy, spasmodic, flatulent and congestive asthma; pains in the loins, sciatica, bloody urine; gravel, weakness of the sexual organs, nocturnal and involuntary seminal emissions; inflammation and swelling of the testes; hydrocele, hypochondrial and hysterical melancholy, with weak memory and confusion of the head; weak digestion, delirium tremens.

### SYMPTOMS FOR WHICH NUX VOMICA IS CURATIVE.

#### HEAD.

Headache, especially after eating, increased motion or stooping forward; aggravated by wine, coffee, or mental labor; hemisrania with nausea; oppressive heaviness of the head, with vertigo; confused pressure on the brain; dull and heavy aching of the head from indigestion; constipation or dyspepsia, rush of blood to the head, with humming in the same; headache worse in stormy weather; sore pain about the head, the hair is sore and painful when touched, various kinds of dizziness.

#### EYES, EARS, NOSE, FACE, TEETH, MOUTH AND THROAT.

Burning, smarting, and itching in the eyes and lids; redness of the whites, ophthalmia of scrofulous and rheumatic persons and infants; nightly agglutination, lachrymation, bleeding from eyes, passing blindness, intolerance of light, twitching of lids, earache;

stitches in the ears, ringing in the ears, hardness of hearing from cold, nose sore and inflamed inside, nose bleed.

Face, pale, sickly, swollen, or red; tearing pain in the molar bones with swelling on one side, dry lips with scaling off, lockjaw.

Toothache from a cold, dull aching in the teeth and jaws, excited by cold drinks; drawing, boring pain in decayed teeth, aggravated by mental labor; loose teeth, putrid, bleeding, swelled gums.

Mouth dry, without thirst, stomacace, inflammation of the buccal cavity; aptha, tongue white coated with mucous, fetid ulcers in the mouth.

Throat sore and rough, sensation of a plug in the throat when swallowing; inflamed swelling of the uvula; sore throat as if swollen, with choking sensation in the fauces.

#### APPETITE AND STOMACH.

Food is tasteless, bitter or sour taste after eating or drinking; foul taste, thirst with aversion to water, and hunger with aversion to food; canine hunger, hypochondriac malaise after dinner with dullness of the head; drowsiness and heat of the face, heat in the head when eating, or sweat on the forehead.

Bitter, foul, sour eructations; frequent, violent hiccough, nausea and inclination to vomit, especially early in the morning and after eating; waterbrash, empty retching in the case of drunkards, especially; periodical attacks of vomiting immediately after eating, vomiting and nausea of pregnant women; vomiting of blood or sour smelling mucous; dyspepsia and indigestion.

Stomach, and pit of the stomach sore and sensitive to external pressure; bloating and pressure in the stomach and pit of the stomach as if from a stone lying there after eating; aching pain in the stomach, contractive, griping cardialgia before and after eating; choking sensation in the stomach, burning in the pit of the stomach and pyloric orifice, inflammation, induration and carcinoma of the stomach, weak stomach.

#### LIVER, ABDOMEN AND STOOL.

Contractive pain in the hypochondria, clothes seem to press, with feeling of tightness; stitches in the region of the liver; acute and chronic affections of the liver and diaphragm; affections of the kidneys; colic from a cold, colic of pregnant women; *billious colic*, periodical colic, bloating and weight of the abdomen; venous congestion; the bowels feel as if bruised, very sensitive to pressure and contact; umbilical, inguinal and femoral hernia, also incarcerated; flatulence and flatulent colic.

Constipation, chronic, also of infants; costiveness and ineffectual urging to stool; hard, difficult, sometimes streaked with blood; putrid or watery diarrhea, dysenteric diarrhea with tenesmus of the rectum, and discharge of blood, mucous, &c.; frequent small

mucous stools with tenesmus; pressure in the rectum before and after stool; worms, and worms at stool; piles, also painful blind piles and bleeding piles.

#### URINARY AND SEXUAL ORGANS AND WOMB.

Retention of urine, ineffectual urging to urinate with scanty emission, attended with pain and burning; stranguary, bloody discharge with burning; nightly urging to urinate; discharge of purulent mucous from the bladder, hemorrhage from the urethra, inflammation of the kidneys and bladder; gonorrhœa with smarting and burning, itching and soreness; inflammation and swelling of testes, hardness and drawing up of the testicle; pain in the spermatic chord, hydrocele, sexual desire easily excited; nocturnal involuntary seminal emissions.

Congestion of blood to the uterus with weight, heat and pressing down of the same; inflammation of the womb, prolapsus of womb and vagina; menses too early and too long; disposition to miscarry, excessive, violent labor pain, suppressed lochia, leucorrhœal discharge, also of yellow, fetid mucous; uterine spasms.

#### CATARRHAL, LUNGS, CHEST AND HEART.

Stoppage of the nose, and dry, coryza, especially at night; fluent coryza in the day time; nose stopped with acrid discharge; catarrhal hoarseness with scraping in the fauces; constrictive spasms of the larynx, bronchitis, cough excited by exercise, reading or thinking; cough with titilation early in the morning; racking cough with headache at night after lying down, continued cough, which is dry at night, with expectoration towards morning; cough during or after measles, spasmodic cough with retching; bloody cough, whooping cough, influenza.

Shortness of breath, especially at night; suffocative fits after midnight, asthina of Millar; spasmodic asthma, oppression of the chest, also spasms; constriction of the chest with tightness; rheumatic stitches in the chest and sides; rush of blood to the chest with heat and burning; palpitation of the heart.

#### BACK, LIMBS AND SKIN.

Pain in the back and small of the back as if bruised, also at night, scarcely allowing one to turn in bed; stiffness of the nape of the neck.

Rheumatic laming pains in the shoulders and upper arms; sudden loss of strength in the arms; drawing in the arms from the shoulder to the fingers with numbness; prickling sensation in the hands and fingers as if gone to sleep; cold hands; hip disease with pain during motion; unsteadiness of the lower limbs, and giving away of the knees, with trembling weakness; coldness, numbness and lameness of the lower limbs; rigid feeling in the bend of the knee, as from contracted tendons; milk leg;

cramp in the calves of the legs ; contraction of the toes, the feet are liable to go sleep ; chilblains.

Stinging and burning itching of the whole body ; blue skin, boils, nettle rash, ulcers ; chilblains with burning, itching ; rhagades.

#### SLEEP AND FEVER.

Very drowsy in the daytime, especially after eating ; sopor in the daytime ; falls asleep late owing to ideas crowding upon the mind ; quiet sleep towards morning, starting during sleep as if in affright ; anxious horrid dreams, sleeps on the back with arms stretched above the head ; night-mare, early waking, yawning, chilliness at night or after drinking ; chilliness with heat in the head or face, and pain in the back ; chattering of the teeth, blue skin and blue nails ; alternate heat and chilliness, morning fever, fever with heat and thirst, yawning, stretching, gastric symptoms and headache ; during the heat vertigo, headache, red face, vomiting of water or bile, fever of dentition, intermittent, hectic, putrid, puerperal and typhoid fevers ; profuse cold and fetid sweat, night and morning sweats, with sour smell at times.

#### MENTAL AND NERVOUS.

Sad hypochondriac mood, grief and melancholy ; anguish and restlessness, frequently attended with palpitation of the heart ; anxious and apprehensive with thought of death, anxious about one's health with desire to talk about it ; irresolute, excessive sensitiveness, tendency to start, intolerance of noise, talk, bright light, music or song ; irritable, disposed to censure with desire to quarrel ; very lazy with great dread of exertion or labor, absence of mind, inability to think, mental alienation of drunkards or after deep study ; cloudiness of the head as after intoxication, gloomy after dinner ; the head feels wearied by mental labor ; chronic vertigo, dizziness of various kinds, especially early in the morning, or after eating ; fainting sort of vertigo with dimness of sight ; apoplexy.

## No. 12.—PULSATILLA.

---

Special action upon the following named organs, viz: *Womb, Stomach, Liver, Heart, Spine, Lungs, and Nerves*, and curative for the following general affections, viz: Affections principally of females, rheumatic and arthritic affections with swelling, spasmodic affections, epilepsy, and syncope caused by suppressed menses; congestions with enlargement of the veins, aneurisms, mucous discharge, scrofula and rickets, atrophy, jaundice, chlorosis, erysipelas, zona, nettle rash; eruptions caused by fat pork, chilblains; suppurations, effects of contusions, falls, blows, mania, melancholy, hysterics and other moral or mental affections, caused by suppressed menses; cerebral congestions; headache from indigestion, ophthalmia, styas, cataract opacity of the cornea; lachrymal fistula, ophthalmia from suppressed gonorrhœa; inflammatory earache, purulent discharge from the ears, hardness of hearing, nose-bleed, disposition to take cold easily, toothache, catarrhal angina, gastric, mucous or bilious affections with vomiting, or diarrhœa; indigestion caused by fat pork or rich pastry, chill in the stomach from ices, fruit, acids, &c., &c.; dyspepsia with vomiting of food, gastralgia, gastritis, chronic liver affections; mucous or bilious diarrhœa, ischuria, dysuria and stranguary, incontinence of urine in children, (wetting the bed), catarrh of the bladder, gonorrhœa and bad effects from suppression from that disease; hydrocele and inflammatory swelling of the testes, also when caused by compression or contusion; prostratis, priapismus, frequent pollutions from onanism, dysmenia, amenorrhœa and dysmenorrhœa, and many sufferings caused by the suppression of the menses, or by irregularity of the menstrual discharge, principally at the age of puberty, or at the change of life; inflammation of the womb, metrorrhagia, principally at the critical age, leucorrhœa, mental affections, toothache, gastric sufferings, colic, hysteric spasm, dysuria and many other sufferings of pregnant women; spasmodic labor pains, which are too long and too violent; absence of labor pains, adhesion of the placenta, suppression of the lochia, puerperal peritonitis, sufferings caused by weaning; belladonna dries up the milk in the breasts and pulsatilla increases the flow and quantity; excoriation of children who have taken too much chamomile; sore eyes of new-born infants, catarrhal affections with moist cough, whooping cough, bleeding from the lungs, asthmatic affections, inflammation of the lungs, phthisical sufferings, organic affections of the heart, carditis, rickety deviation of the spine; inflammatory or œdematous swelling of the legs and feet, pains in the back or loins, sciatica and coxalgia or hip disease, chicken pox, menstrual colic.

## SYMPTOMS FOR WHICH PULSATILLA IS CURATIVE.

## HEAD.

Headache caused by a cold, abuse of mercury or derangement of the stomach from eating fat; heaviness of the head, pains as if in a vice, rush of blood to the head, especially when stooping, headache ascending from the nape of the neck, evening and morning headache, pustules on the head.

## EYES, EARS, NOSE, FACE, TEETH, MOUTH AND THROAT.

Burning, pressing or cutting pain in the eyes, painful inflamed eyes, also from taking cold, and in the case of infants and scrofulous persons; dryness of the eyes and lids, styes, agglutination, lachrymal fistula, obscuration of sight, dimness of sight, near-sighted, incipient amaurosis and cataract, photophobia, hemeralopia.

Jerking, tearing pain in the ears, rush of blood to the ears, inflammation of the outer and inner ear with heat, redness and swelling; purulent discharge from the ears, ringing, roaring, humming and whizzing in the ears, deafness as if the ears were stopped, especially after suppressions of measles or from catarrh in the head; ulcerated pains in the outer and inner nose, nose-bleed, discharge from nose, smell before the nose as in old catarrh.

Face pale or yellowish, alternate pale and red and bloated face.

Drawing, jerking toothache, as if the nerve were pulled or stretched; throbbing pain in hollow teeth, extending to the eye, worse at night in bed and in a warm room, abating in the cool air; sore gums, looseness, especially the painful teeth.

Dry mouth in the morning, flow of sweetish saliva with nausea; the tongue feels burnt and insensible, tongue coated yellow and covered with mucous.

Sore throat as if raw or swollen, stinging sore throat with pressure when swallowing, inflammation of the throat with dark varicose distension of the vessels, dryness and tenacious phlegm in the throat.

## APPETITE AND STOMACH.

Taste flat or putrid, earthy or chalky, beer has a sweet taste, bitter taste, aversion to food, such as meat, bread, butter and milk, also to tobacco, at other times desire for food and hungry; derangement of stomach by bacon or pastry, coldness of the stomach caused by ice, fruit, &c., &c.; eructations, tasting and smelling of the ingesta, waterbrash, hiccough, nausea, vomiting, also after eating and at evening bleeding from the stomach, cardialgia, pain in the pit, pressure in the pit after meals, pulsations, gastritis.

## ABDOMEN AND STOOL.

Bloating, tightness and fullness in the abdomen, spasms also of pregnant women, cutting colic after drinking, also at evening, sometimes with diarrhea, rumbling in the bowels with flatulence.

Constipation, frequent urging to stool with colic at times; frequent diarrheic stools, sometimes mixed with a little blood, nightly, watery or green billious diarrhea; white stools, piles with smarting or soreness.

## URINARY, SEXUAL ORGANS AND WOMB.

Retention of urine with heat in region of the bladder, frequent urging to urinate with cutting pressure, especially pregnant women; inability to retain the urine, involuntary discharge in drops sitting or walking, wetting the bed, urine with brick-dust sediment, bloody urine with burning; catarrh of the bladder, stricture of the urethra, pain and pressure in the same, cystitis, gonorrhoea, inflammation and swelling of the testicles with aching pain; hydrocele, pains in spermatic cord, prostratitis, sexual desire excited, discharge of prostatic fluid, frequent emissions, also in the case of onanism.

Inflammation of the womb, delaying and suppressed menses with pains, spasms, &c., &c.; delay of the first catamenia, chlorosis, menses too soon, black, slimy blood with same; pain in the small of the back during menses, metrorrhagia being more or less profuse, suppressed lochia, false, spasmodic or too feeble labor pains, leucorrhoea before and during menses, acrid burning, or thick, painless whites, like cream.

## CATARRH, LUNGS, CHEST AND HEART.

Stoppage of the nose, catarrh with loss of smell or taste, chronic catarrh with discharge from the nose and fetid smell.

Catarrhal hoarseness with huskiness and cough, dry cough with gagging and vomiting, pain and stitches in the chest and sides, also when coughing; loose cough with expectoration of bitter or yellow mucous, or bloody, hectic cough, whooping cough, cough with a good deal of phlegm on chest, short hurried breath, stoppage of breath, also spasmodic, suffocative paroxysms at night; asthma of Millar, pain in the chest as if ulcerated, spasmodic, contractive tightness in the chest, typhoid pneumonia, congestion of blood to the chest and heart, vanishing and drying up of the milk of nursing females; increases the flow of milk.

Frequent violent paroxysms of palpitation of the heart, sometimes with anguish and obscuration of sight, shortness of breath when lying on the left side, weight, pressure and burning about the heart, chronic affections of the heart.

## BACK, LIMBS AND SKIN.

Pains in the small of the back and back, as after stooping a long time, stitching pain between the shoulder blades, spinal curvature and weakness of the spine; rheumatic pain in the loins, stiffness of the nape of the neck.

Drawing, jerking, tearing pains in the shoulder joints and arms, rheumatic lameness in the shoulders, numb feeling, and as if sprained in the elbows, wrists and finger joints, felons.

Hip disease, also chronic, with sore pain extending to the knee, pain as if ulcerated in the muscles, legs and soles of the feet; inflammatory swelling of the knee with shooting pain, red, hot swelling of the legs and feet, heaviness and weariness of the legs with trembling, enlarged and swelled veins, inflammatory, dropsical or œdematous swelling of the feet, numbness of the soles of the feet and balls of the toes.

Itching and burning when getting warm in bed, nettle-rash, eruptions caused by abuse of bacon; measles, chicken pox, frozen, inflamed parts, rhagades, &c.; suppurating wounds, readily bleeding ulcers with smarting, burning, itching and hard shining redness.

## SLEEP AND FEVERS.

Drowsy and dreamy, feverish sopor, falls asleep late with nightly sleeplessness, owing to ideas crowding upon the mind, rush of blood to the head and anxious heat, starting as if in affright, talking, weeping, crying out, &c., &c.; frequent waking with inability to sleep again, night mare.

Chilliness without thirst, internal chilliness, during the chilly stage vertigo; stupefaction, headache, vomiting, &c.; paroxysms of anxious heat, heat internally, quotidian, tertian and quartan intermittent fevers, that set in at evening, with bitter, foul taste in the mouth; relapses after suppression by quinine, typhoid, mucous and puerperal fevers; sweat frequently on one side of the body only, night and morning sweat having a bad smell.

## MENTAL AND NERVOUS.

Sad, whining, gloomy mood, dread of company, diffident, fear of death, despondency, anxiety in regard to business matters, hypochondria and ill humor, absence of mind, loss of consciousness; the head is affected by mental labor, dizziness as from intoxication, vertigo on stooping and inclination to vomit.

## No. 13.—RHUSTOX.

---

Special effects on the *Spine, Liver, Stomach, Lungs, Urinary Organs, &c.*, and is curative for the following general affections and symptoms, viz: Affections of the tendons, synovial ligaments and membranes, want of plasticity of the blood with tendency to *paralysis*; rheumatic affections, specially with or without swellings, pains in the sides and back, local inflammations with cerebral affections; rickets, scrofula, salt rheum, scald head and sore throat; bad effects from getting wet, paralysis, dropsy, tumors and swellings, itch, moist and dry eruptions of the skin, erysipelas, especially vesicular erysipelas, warts, ulcers, shingles, scarlatina and measles, bad effects from a strain, dislocation, concussion and other mechanical injuries, especially the joints and membranes bruised; intermittent, gastric, rheumatic and typhus fevers, hypochondria, melancholy, nervous, especially just before or during stormy weather; nervous and other kinds of headache, scrofulous sore eyes, parotitis, crusta lactæ, gastric affections, dyspepsia, contraction of the throat and oesophagus, jaundice, diarrhea and also dysentery; incontinence of urine and urging to urinate at night, white swellings, inconvenience resulting from weaning or suppression of milk, inflammation of the lungs, bleeding lungs, diseases of the heart, pains and affections of the limbs, hips, sides, back or spine, aching and soreness of the flesh and bones, &c., &c.

### SYMPTOMS FOR WHICH RHUSTOX IS CURATIVE.

#### HEAD.

Headaches immediately after eating, worse when moving the eyes; oppressive fullness and heaviness of the head, aching in the temples, ears, root of the nose and molar bones with pain in the teeth; rheumatic headache, rush of blood to the head, humming and whizzing in the head and shaking as if the brain were loose, integuments of the head are sore and painful when touched, swelling of the head, dry rash on the hairy scalp, scald head with violent itching at night.

#### EYES, EARS, NOSE, FACE, TEETH AND MOUTH.

Inflammation of the eyes and lids with redness, and nightly agglutination, in rheumatic persons especially; lachrymation, swelling of the eye and surroundings, twitching of the lids and eyes, incipient amaurosis, weak, sore eyes of scrofulous persons.

Painful earache, throbbing at night, discharge from the ears with hardness of hearing, inflammatory swelling of the parotid glands; mumps.

Redness of the tip of the nose with soreness, swelling of the nose and inflammation, bleeding of the nose when stooping or hawking.

Face pale, wretched, sunken, blue margins round the eyes and pointed nose, erysipelas and swelling of the face, suppurating eruptions on face, cramp pain in the articulation of the jaw with cracking when moving the jaw, lock-jaw, hard swelling of the sub-maxillary glands.

Toothache as if sore, worse in the open air, abates by warmth, toothache from a cold, especially with rheumatic persons.

Mouth dry with thirst, flow of saliva; fetor, parched, red, dry tongue.

#### THROAT.

Sore throat as if swollen with pain, pressure and stinging when swallowing, sensation as if something would be torn off in the throat; oesophagitis, dryness with thirst, goitre, also chronic.

#### APPETITE AND STOMACH.

Foul taste, also flat, slimy, acrid, bitter, sour, brassy taste in the mouth; loss of appetite with loathing of bread, meat, coffee and wine, drowsy after eating with repletion, nausea, languor, vertigo and shuddering, desire for water, cold milk and dainty food, sudden vomiting when eating.

Violent eructations, pain in the stomach as if from a stone after dinner, pressure in the stomach and pit of the stomach, also with pain sensation as if something would be torn off in the stomach, especially when making a wrong step, dyspepsia.

#### ABDOMEN AND STOOL.

Bloating after eating, weight and spasms, burning, &c., &c.; nightly colic; inguinal hernia, flatulence with rumbling, pinching pain, &c.

Constipation, tenesmus at stool in dysentery, watery, slimy and bloody diarrhea, white stools, nightly diarrhea with violent colic, involuntary discharge when asleep, tingling and itching in the anus and rectum, piles, alternate constipation and diarrhea.

#### URINE, SEXUAL ORGANS AND WOMB.

Retention of urine, frequent urging day and night, sometimes with increased discharge, inability to retain urine, especially during rest, dark and turbid, or whitish urine, watery urine, swelling of the urethra, painful discharge of drops of bright red urine, diabetes.

Swelling of the glands and prepuce, inflammation and ulceration of the same, constriction of the prepuce behind the glands, red spots on same, swelling, thickening and eruptions on the scrotum.

Menses too soon, too long and too profuse, discharge of blood of pregnant women, soreness of vagina, inflammation of the womb, metrorrhagia with clots and labor-like pains, weakness of the womb.

#### CATARRHAL, LUNGS, CHEST AND HEART.

Frequent desire to sneeze, almost spasmodic, discharge from nose, at other times dry and stoppage.

Hoarseness and roughness of the larynx with raw and sore feeling in the chest, liability to choke when swallowing, influenza and cold in the head, cough caused by a tickling in the air passages, generally short and dry, especially at night; morning cough after waking and with pain in the stomach, cough with mucous and bright red blood; chronic bleeding of the lungs, bronchitis.

Shortness of breath and anxious oppression of the chest at night, weakness of the chest, stitches and pains in the chest and sides when sitting bent, talking or taking a long breath, rush of blood to the chest, pneumonia, also typhoid.

Weak and tremulous feeling about the heart, violent palpitation, rheumatism and rheumatic stitches of the heart, attended sometimes with numbness or lameness of the left arm; regulates discharge of milk in nursing females where there is too much, too little, or suppressed.

#### BACK, LIMBS AND SKIN.

Bruising pain in the small of the back, also stiffness and rheumatic pains in the back and between the shoulders, stitches and crick in the back, pains worse in cold or stormy weather; stiffness of the neck and nape of the neck, painful swelling of the axillary glands, pains from strains or sprains, curvature, also weakness of the spine, &c.

Rheumatic pains in the shoulders and arms, even when extending to the wrists, hands and fingers, with or without swelling; erysipelas of the arms or hands, contraction and stiffness of the fingers with enlarged joints, prickling in the fingers with numbness, warts on hands and fingers.

Rheumatic pains in the hip joint, also inflamed; the pains in the hip frequently extend to the knees and feet, worse in stormy and cold weather and when rising from a seat or going up stairs, rheumatism in the knees, heaviness of the lower limbs, paralysis of the legs and feet, general paralysis, or only of one side; milk leg, sprained ankle, swelling of the feet, contraction of the cords, numbness of the feet, contraction of the toes, burning and soreness of corns, spontaneous luxation of the hip joint, itching of the whole body, erysipelas, shingles, nettle rash and other eruptions; vesicular erysipelas with burning and itching, herpes, common and malignant itch, warts, cracks, felons, ulcers, burning and smarting, chilblains, corns, bunions, hang nails, salt rheum.

SLEEP AND FEVER.

Frequent spasmodic yawning, sleepless, especially before midnight, inability to lie on the side, starting as in affright, restless with tossing about, colic and stomach pains, disturbed sleep, loud weeping in sleep, vivid and frightful dreams.

Chilliness and coldness with pain, shaking-chill with violent thirst, evening fever after chill, double tertian fever, during the chill pain in the back, head, limbs; vertigo, nausea, during the fever twitchings, ringing in the ears, hard hearing, sleeplessness, tossing about, jaundice, nettle-rash, gastric complaints, rheumatic, typhoid, mucous, putrid and puerperal fevers, night and morning sweats with sour smell.

MENTAL AND NERVOUS.

Sadness and anxiety as if one would die, restless, uneasy, fear of being poisoned, anxious for the future, mania exciting to suicide, ill-humor with aversion to labor, tendency to start.

Weak memory, dullness of comprehension, illusions of the fancy, delirium, head feels dizzy, dull, stupid, or heavy, pressure on the brain, nerves are weak and affected more in windy weather, or just before, and during a storm, especially in persons troubled with rheumatic affections.

---

No. 14.—SEPIA.

---

Acts specially upon the *Stomach, Liver, Womb, Heart, Lungs and Nerves*, and is curative for the following named general affections and symptoms: More especially for females, those of a weak constitution, and diseases of the womb, stomach and lungs; affections of the nervous system, also from vexations, physical and nervous debility from onanism, scrofulous and rickety affections, lymphatic, inflammatory tumors, rheumatic affections, especially in persons who have grown fast, chronic eruption and herpes, scabies, livid spots on pregnant or nervous women, schirrous indurations, warts, intermittent fevers, hysterics, nervous and hysterical headache, scald head, scrofulous and other sore eyes; nose-bleed, crusta lactæ, stomacace, sore mouth with scurvy or scorbutic affection of the gums; toothache in hysterical or pregnant women, chronic disposition to sore throat, dyspepsia, sourness, gastralgia and other gastric affections; enlargement of the abdomen in old women, dropsy of the abdomen, diarrhea, also in scrofulous subjects, blenorrrhea of the rectum, chronic constipation, chronic gonorrhæa, pollution and nocturnal emissions from onanism, difficulty and painful menstruation; profuse menses, amenorrhæa, chlorosis, leucorrhæa, constipation or diarrhea, yellow spots on

the skin, pimples on the face, warts on the same, disposition to abortion, soreness of the breasts and nipples, excoriation and soreness of infants, cough of different kinds, whooping cough, inflammation of the lungs, bleeding of the lungs, phthisic, nausea from riding in a carriage, stinging pains in corns, distorted nails on fingers and toes.

## SYMPTOMS FOR WHICH SEPIA IS CURATIVE.

### HEAD.

Headache from motion, with nausea and vomiting, morning headache, feeling of weight and pressure in the head, headache on one side, beating headache, rush of blood to the head with heat, involuntary shaking or jerking the head to and fro, itching of the head, the hair falls out.

### EYES, EARS, NOSE, FACE, TEETH, MOUTH AND THROAT.

Paralysis of the eyes, pressure in the eyeballs, ophthalmia with stinging, itching, smarting and swelling of the lids, whites of the eyes turn yellow, lachrymation, nightly agglutination, dim sight, far-sight, amaurosis, gauze, luminous lines and green halo around the lamps.

Stitches and soreness in the ears, discharge of thin pus with itching, hard hearing, roaring in the ears.

Nose swelled and inflamed, scurfy tip, cancer, ulcerated nostrils, frequent nose-bleed, fetid smell in the nose.

Face pale with blue margins around the eyes, yellow face, yellow saddle across the nose and cheeks, hard nasal mucous, crustalactæ, drawing pain in face, yellow around the mouth, humid scurfy eruptions on the lips and chin, pimples on the face.

Toothache of pregnant females, teeth become hollow and bleed easily, mouth sore, stomacace, fetor, pain on the tongue and palate as if burnt, white coated tongue.

Throat sore with sensation as if a plug were in it, hawking up bloody phlegm.

### APPETITE AND STOMACH.

Putrid or sour, also salt taste, voracious hunger, great hunger with empty faint feeling in the stomach; loathing of food, acidity after eating, dyspepsia, eructations, sour or bitter, acid stomach, with loathing of life, nausea, also before breakfast and when riding in a carriage; vomiting of pregnant women, also of food and bile, pains after eating and pressure as from a stone, cardialgia, burning in the stomach, also throbbing and feeling of emptiness.

### LIVER, ABDOMEN AND STOOL.

Pain in the liver when riding in a carriage, inflammation of the liver, with pains, colic of pregnant females, pressure and

weight in the abdomen with bloating as though it would burst, distension and hardness of the abdomen, pot-bellied, dropsy of the abdomen, spasms and cutting colic, cutting and pressure low down, stinging and burning, empty feeling, stitches in the groin, constipation, also of pregnant women; scanty stool with tenesmus, weakening diarrhea, green discharge of children frequently with foul or sour smell; contractive pain, itching and burning and stinging at the anus and rectum, oozing from the rectum, falling of the rectum, especially at stool, protrusion of piles, flowing piles.

#### URINARY, SEXUAL ORGANS AND WOMB.

Frequent urging with scanty discharge, pressure on the bladder and nightly urination, wetting the bed by children, blood colored and turbid urine with red, sandy sediment; blood in the urine, spasm of the bladder, burning and smarting in the urethra, also cutting and stinging when urinating; gleet, balanorrhea, ulcers on glands and prepuce, pains and swelling of the testicles and scrotum, weakness of organs, increased desire, frequent nocturnal emissions, also after onanism; discharge of prostatic fluid when urinating or during stool, physical and mental weakness after embrace.

Soreness of pudendum and between the thighs, falling of the womb, bearing down pains; regulates the menses when too early too feeble, or suppressed, menstrual colic, sterility, disposition to miscarry, whites, yellowish or reddish green water, or of a purulent fetid fluid discharged; itching, excoriating leucorrhœa, induration of the neck of the uterus, itching of the pudendum.

#### CATARRH, LUNGS, CHEST AND HEART.

Stoppage or dryness of the nose, hard mucous catarrh, hoarse- with catarrhal cough from a tickling in the larynx and chest, dry cough as if from the stomach, frequently attended with nausea and vomiting, cough with profuse expectoration, salt taste with rattling, debility rawness, and soreness in the chest, sometimes the expectoration is green, yellow or purulent, cough with bloody expectoration, pulmonary consumption.

Short breath when walking, oppression of the chest, pain and pressure, spasms, pain and stitches in the chest and sides, pneumonia, rush of blood in the chest and palpitation of the heart; intermission of the beats of the heart, sore nipples.

#### BACK, LIMBS, SKIN, &C.

Burning, tearing pains in the small of the back and back, also weakness of the same, stiffness of the back and nape of the neck; claret colored spots on the neck and chin, boil on neck, sweat under the arms, swelling and suppuration of painful tumors under the arms.

Laming, drawing pain from the shoulder joints down to the fingers, stiff and cold feeling in the arms as if paralyzed, warts on the arm, contraction in the joints as if the tendons were too short, stiffness of the elbow joints, bad itch and scurf on the hands, cold sweat on same, contraction of the fingers, ulcers on the joints and tips of the fingers, distorted nails, felons.

Hip disease with tearing pain, lameness of the lower limbs, cold legs and feet, also swelling of the same, painful swelling of the knees, prickling and burning in the feet, sweat on the feet, also suppressed, ulcers on the heels, feet or toes, corns with stinging pains, distorted nails.

Itching pimples and soreness in the joints, soreness and rawness of children, itch, brown, reddish herpetic spots on the skin, humid herpes with itching and burning, boils, painful ulcers, corns, pemphigus, lymphatic swellings, goitre.

#### SLEEP AND FEVER.

Sleep in the daytime, wakeful at night, frequent waking without apparent cause, restless sleep with rush of blood, tossing about and frequent starting, unrefreshed by sleep, feeling as if one had not slept enough, talking in sleep, twitching of the limbs, &c., &c.

Deficient animal heat, chilliness then flushes of heat, paroxysms of heat and chilliness, intermittent fevers with thirst during the chill; profuse sweat from the least exercise, night-sweat, also cold sweat, morning sweat with sour smell.

#### MENTAL AND NERVOUS.

Sad and depressed in spirits, anxious for one's health, reverie, tendency to start, depression even with loathing of life, indifference, aversion to business, irritable, ill-humor, desire to scold, weak memory, dullness of the head, dizziness when walking or writing, unable to perform mental labor.

## No. 15.—STRAMONIUM.

---

Special organs, *Heart, Stomach, Lungs, Nerves, &c.* Curative for the following general affections and symptoms, viz: Convulsions, epileptic fits, St. Vitus dance, catalepsy, and other spasmodic and nervous affections; affections from measles, colds, fright, or breathing the vapors of mercury; typhus fever, imbecility, delirium tremens, mania, hydrophobia, nymphomania, inflammation of the brain, dropsy of the brain, convulsive hiccough, cramp in the chest, asthma with suffocating obstruction of breath, constrictive oppression of the chest, want of breath with difficult and sighing respiration, trembling of limbs, paralysis, lock-jaw, cramps and hysterical sufferings; melancholy, sadness and dullness of all the senses, delirium, dizziness, &c., &c.; suppressed secretion of urine, impotence, increased menses with discharge of black blood, metrorrhagia, numbness of the fingers, starting in affright from sleep; acute and chronic affections of the heart, sore throat with external swelling, nervous affections, bronchitis, nervous cough, croup, asthma of Millar, dysentery, diarrhea, bloody, severe griping pains and tenesmus in dysentery, croupy stage of diphtheria, fainting fits with stertorous breathing, laming spasmodic pains in the muscles and joints, &c.

### SYMPTOMS FOR WHICH STRAMONIUM IS CURATIVE.

#### HEAD, EYES, EARS, FACE, MOUTH AND THROAT.

Headache with dim sight and hard hearing, weakness in the head, throbbing ache with faint turns, rush of blood to the head.

Eyes red and swollen, inflamed margins of the lids, lachrymation, distortion, also obscuration of the eyes, passing blindness, short sighted, indistinct, confused appearance of letters when reading, illusions of sight.

Wind rushes out of the ears, hard hearing.

Face swollen and turgid, painful distortion of the features, very pale or bright red, trembling of the lips, distortion of the mouth.

Grating of the teeth, throbbing toothache.

Mouth dry, profuse pyalism, bloody foam at the mouth, spitting blood, tongue paralysed and swollen, stuttering, constant muttering, speechless, paralysis of the organs of speech.

Throat sore with spasmodic constriction of the fauces, difficult swallowing with pressure in the sub-maxillary glands, impeded swallowing owing to soreness and dryness of throat, external swelling of throat and glands.

## APPETITE AND STOMACH.

Food tastes like sand or straw, bitter taste, violent thirst with aversion to water and every kind of liquid.

Sour eructations, violent hiccough, also spasmodic hiccough, vomiting of sour smelling or green mucous, smarting or oppressive aching pain at the stomach, anxiety in the pit of the stomach with hard breathing, inflammation of the stomach.

## ABDOMEN AND STOOL.

Hard, bloated abdomen, painful to contact, hysteric abdominal spasms, swelling of the inguinal glands, flatulence.

Constipation, ineffectual urging, diarrhea with pain and rumbling, discharge of coagulated blood attended with severe cutting, griping pains, dysentery.

## URINARY AND SEXUAL ORGANS.

Suppression of urine with frequent urging, involuntary emissions of urine, enuresis, sexual desire and impotence of men.

Suppression of the menses, metrorrhagia, discharge of black blood, moaning and sighing after menses.

## CHEST, LUNGS AND HEART.

Shrill voice, labored sobbing breathing, suffocative stoppage of breath, asthma of Millar, spasmodic asthma, constrictive oppression of the chest; cough tight, spasmodic, hoarse, cough from cold, when constricted; spasms of hysteric females from short breath, pneumonia, also typhoid, violent pains and palpitation of the heart, heart affections from nervous sympathy.

## BACK, LIMBS AND SKIN.

Bruising pain in the back, opistholonos, convulsive movements of the arms over the head, contortions and clenching of the hands, cramps and tremor of hands; the fingers go to sleep.

Convulsions of the lower limbs; the feet turn over when walking, trembling of the feet.

Suppression of cutaneous eruptions, creeping under the skin.

## SLEEP AND FEVER.

Drowsy in the daytime, deep sleep with stertorous breathing, kneeling in bed, starting up when touched ever so lightly, screams and wild gestures.

Coldness of the whole body, especially the extremities; cold hands and feet with red face, heat with anxiety and red cheeks, or with thirst and vomiting; typhus fever with loss of consciousness, worm fever, small quick pulse, copious sweat.

## MENTAL AND NERVOUS.

Melancholy, inconsolable and very much irritated by trifles, head-strong, loud laughter, howling and moaning, muttering, or screaming; indomitable rage with desire to kill, hydrophobia, desire to bite, at times feels indifferent towards his business, at other times imagines he is not able to carry it on; desire for company, light, sunshine; darkness, solitude and silence aggravate the mental condition of the patient.

Loss of memory, dullness of all the senses, idiocy, delirium, illusion of the fancy, mental derangement, mania, fanciful visions, vertigo with reeling or with obscuration of sight, and headache, hysteric spasms.

---

## No. 16.—SULPHUR.

---

Special action on the following named organs, affections and symptoms viz: The *Stomach, Liver, Lungs, Blood and Nerves*. General affections, suffering from a chill, cold in the head, diarrhea and colic; acute and chronic rheumatism, epilepsy, nervous weakness caused by onanism, also from excessive study and long watching; difficulty in children in learning to walk, chlorosis, dropsical affections, scrofula, rickets, eruptions of the skin, liver spots, warts, chilblains, measles, scarlatina, erysipelas, excoriations, rhagades, ulcers, tumors, abscess, scald head, baldness, cancer of the lips, melancholy, religious excitement, mania; hypochondria, hysteria, imbecility, cerebral congestion, rheumatic, catarrhal and nervous headache, scrofulous and catarrhal sore eyes, cataract; hard hearing, purulent discharge from the ears, erysipelas of the face, nose-bleed, difficult dentition with propensity to convulsions, also diarrhea; salivation from mercury, chronic catarrhal sore throat, gastric sufferings, gastralgia, dyspepsia, inclination to drunkenness, chronic affections of the liver, swelling and induration, jaundice, colic, dropsy of the abdomen, hernia which protrudes easily, also incarcerated; buboes, constipation, dysentery, prolapsus recti, worm affections, blind or bleeding piles, dysuria, diabetes, urinary affections, inflammation of the urethra, gonorrhoea, urinary fistula, stricture, induration of the testes, hydrocele, impotence, dysmenorrhoea, menstrual colic, metrorrhagia, sterility, abortion, leucorrhoea, excoriation, inflammation, ulceration, induration and cancer of the breasts; excoriation, constipation, sore mouth and sore eyes of new-born infants; inveterate catarrh, loss of voice, cough, also whooping, bleeding of the lungs, chronic inflammation of the lungs, asthmatic difficult breathing, heart affections, distortion of the spine from rickets, pain and inflammation of the hip joints and back, spontaneous dislocation, white swellings, gout in the hands and feet,

ulcers on the legs, erysipelas inflammation of the feet or legs, pain in the chest caused by lifting, trembling of the hands.

## SYMPTOMS FOR WHICH SULPHUR IS CURATIVE.

### HEAD.

Headache with nausea, nightly headache, fullness and weight in the head, stitching or throbbing headache, rush of blood to the head with heat, inflammation of the brain, dropsy of the brain, humid scald head with fetid smell; the hair falls out.

### EYES, EARS, NOSE, FACE, TEETH, MOUTH AND THROAT.

Pain in the eyes, pressure in eyes and lids, also as if sand were in them, itching, smarting and burning in same, inflammation of the eyes and lids, ulceration of lids, dryness or profuse lachrymation, agglutination, twitching of the lids, mistiness of sight, incipient amaurosis, dread of light, cataract, short sighted.

Purulent discharge from the ears, dull hearing, ringing, roaring and humming in the ears.

The nose inflamed and swollen, cancer, freckles, nose-bleed.

Face pale, sickly complexion, redness and heat in face, erysipelas of face, chronic eruption on face, crustalacta, freckles, cancer of the lips, swelling of the sub-maxillary glands.

Toothache, also at night swelling and bleeding of the gums.

Mouth dry, ptialism, or salivation from mercury, bad smell from the mouth, blisters and soreness, also aptha and stomacace of same, white coated tongue.

Throat sore, also chronic, feeling of painful constriction when swallowing, dryness, soreness and burning, angina faucium, swelling and ulceration of the uvula and tonsils.

### APPETITE AND STOMACH.

Sweetish or foul, bitter or sour taste, too much appetite, great hunger or loss of appetite, aversion to meat, brown bread, fat, milk, sweet and sour things; ill effects of acids, oppression after eating, dyspepsia, eructations, sour risings, heart-burn, hiccough, nausea, also from riding in a carriage.

Water brash, bitter, sour and bloody vomiting; the region of the stomach is weak, tender, sensitive with pressure after eating, swelling at the pit of the stomach, cardialgia, burning, bloating, heaviness.

### LIVER, ABDOMEN AND STOOL.

Pain, pressure and tension in the region of the liver, chronic inflammation of the liver, swelling and hardness of the liver and spleen, torpid liver, colic also after eating or drinking.

Bloating weight and pressure in the abdomen, soreness and

pains, dropsy of the abdomen, inguinal hernia, also incarcerated, swelling of the inguinal glands, loud rumbling of bowels, flatulence, fetid, constipation, also chronic and of infants; frequent ineffectual urging, hard lumpy, insufficient stool, diarrhea of children, green, sometimes bloody with much crying, especially in difficult dentition; dysenteric and sour smelling diarrhea, undigested stool, involuntary stool, worm affections, ascarides, lumbrica, pin-worms and tape-worms, prolapsus or falling of the rectum, itching, stinging, burning in the anus, and rectum, soreness and swelling of same, blind and bleeding piles.

#### URINARY, SEXUAL ORGANS AND WOMB.

Suppression or scanty urine with frequent urging, frequent urination, also at night with copious discharge; involuntary emission, children wetting the bed, sediment in the urine, reddish or like flour; bleeding from the urethra, stinging and burning while urinating, stitches in the bladder, discharge of mucous, gleet.

Male.—Soreness, chafing when walking, ulcers on glands and prepuce, gonorrhoea, relaxed scrotum, swelled testicles, hydrocele, weakness of the sexual powers, nocturnal emissions, discharge of prostatic fluid.

Female.—Congestion of blood to the uterus, suppressed menses or too scanty, menses too soon and profuse or too pale, acts as a regulator to all unhealthy menstrual discharges, nose bleed during menses, painful spasms and colic during or preceding menses, sterility, miscarriage, slimy or yellowish, also smarting and excoriating leucorrhoea.

#### CATARRHAL, LUNGS, CHEST AND HEART.

Chronic catarrh, dryness of the nose, profuse catarrhal discharge of burning water, or bloody mucous, suffocative catarrh of children.

Hoarseness and roughness in the throat, tingling in the larynx, exciting a cough, cough with strangling and vomiting; dry cough, also loose, cough with difficult, white, yellow or green expectoration, feverish cough with bloody expectoration, ulcerated lungs, also chronic suppuration of lungs.

Frequent stoppage and short breath, suffocative paroxysms, wheezing and rattling, stitches in the chest through to the back or sides, weakness of the chest or lungs, burning in the chest, neglected pneumonia, congestion of blood to the chest, lungs and heart; inflammation, soreness of the breasts and cracking of the nipples with burning pain, cancer of the breasts.

Palpitation of the heart, frequently visible with anxiety, sensation as if the heart were enlarged.

## BACK, LIMBS AND SKIN.

Pains and stitches in the back and between the shoulder-blades, stiffness of the nape of the neck, curvature of the spine and rickets, fetid sweat under the arms, swelling and suppuration of the glands under the arms.

Rheumatic drawing pain in the shoulder joints, arms, hands and fingers, swelling of the arms, trembling of the hands, sweat of same, deadness of the fingers, felons, hang-nails.

Bruising pain in the hips and lower limbs, heaviness, numbness, languor of same, especially the knees, white, also large shining swelling of the knees, with contraction and stiffness, swelled veins, erysipelas, milk-leg, cramps in the calves and soles, pain and soreness of the soles, cold feet, also sweaty, chilblains, swelling of the feet and ankles, shining swelling of the toes, painful gout, corns aching and stinging.

Itching of the skin, worse at night, rash with soreness, itch, nettle-rash, liver spots, moles, herpes, erysipelas, inflammations, soreness of children, cracked hands, suppurations, boils, ulcers, felons, warts, hang-nails, corns, &c., &c.

## SLEEP AND FEVER.

Irresistible drowsiness, falls asleep late, sleeplessness at night, with uneasiness, deep morning sleep, too long, unrefreshing sleep, starting during sleep, night-mare.

Chilliness and cold feeling, especially at night without thirst, flashes of fever and heat, with thirst, quotidian, intermittent fevers, tertian fevers, worm fevers, profuse sweat in the daytime, during work and at night in bed.

## MENTAL AND NERVOUS.

Melancholy, whining mood, tendency to start with fearfulness, irritable, not disposed to work, dissatisfied, peevish, weak memory, religious fancies, dullness of the head with difficulty in thinking, stupifying weakness of the head, vertigo when sitting or early in the morning, dizziness with nose-bleed, nervous pains and nervous weakness on change of the weather, uneasiness in the whole body.

## SPECIAL NOTICE.

---

In answer to those who may wish to know what special or particular diseases we treat, we would say our practice is *a regular, legalized, general one*; but here mention some of the diseases we have been very successful in curing during the practice of over twenty-five years, viz:

*Asthma, Catarrh, Sore Throat, Raising Blood, Loss of Voice, Scrofula, Goitre, or Swelled Neck, Fever Sores, Erysipelas, Salt Rheum, Scald Head, Dropsy, Dyspepsia, St. Vitus Dance, Piles, Nervous Debility, Chronic Diarrhea, Rheumatism, Paralysis, Diseases of the Womb, Diseases of the Urinary Organs, Bladder and Kidneys, Syphilis, Cough and Lung Diseases, Heart Affections, Sore and Inflamed Eyes, Canker Sore Mouth, Affections of the Liver, Stomach and Bowels, Polypus of the Nose and Womb, Diseases of Women at the Critical Age or Turn of Life, &c., &c., and others named in our regular list.*

# INDEX.

---

	PAGE.
Introduction,.....	3
Names and numbers of the Medicines specially described...	4
Rules of diet, and also advice in regard to medicine,.....	5
Size of dose, repetition and preparation of the medicine,....	6
Diseases, and the Remedies for each,.....	7
General affections and symptoms for which Aconite, No. 1, is curative,.....	18
General affections and symptoms for which Arsenicum, No. 2, is curative,.....	20
General affections and symptoms for which Belladonna, No. 3, is curative,.....	23
General affections and symptoms for which Bryonia, No. 4, is curative,.....	26
General affections and symptoms for which Chamomile, No. 5, is curative,.....	29
General affections and symptoms for which Hepar Sulphur, No. 6, is curative,.....	31
General affections and symptoms for which Hyoscyamus, No. 7, is curative,.....	34
General affections and symptoms for which Helleborus Alba, No. 8, is curative,.....	36
General affections and symptoms for which Ipecac, No. 9, is curative,.....	40
General affections and symptoms for which Mercurious Viv. No. 10, is curative,.....	42
General affections and symptoms for which Nux Vomica, No. 11, is curative,.....	46
General affections and symptoms for which Pulsatilla, No. 12, is curative,.....	50
General affections and symptoms for which Rhustox, No. 13, is curative,.....	54
General affections and symptoms for which Sepia, No. 14, is Curative,.....	57
General affections and symptoms for which Stramonium, No. 15, is curative,.....	61
General affections and symptoms for which Sulphur, No. 16, is curative,.....	63







NATIONAL LIBRARY OF MEDICINE



NLM 00103573 9